


ML2000 Series

Mortise Lock Parts Manual



To order parts, use the appropriate Part Number and specify Finish (fin) as directed. For example, to order ten Toggle Levers for the ML2067 Function, use the following configuration:

Quantity	Part Number	Finish	Hand
10	461F01-8		

- ☐ In order to simplify the ordering procedure, parts are only available as listed.
- ☐ Refer to the installation instructions for complete installation.
- ☐ Limited warranty against defects in materials and workmanship under normal use and service. Corbin Russwin is not responsible for alterations or modifications made to our products by others. (See full limited warranty for further details.)
- ☐ For assistance, contact your authorized Corbin Russwin distributor or Corbin Russwin directly at the address on the back cover.

Lock Function Index	3
Deadlock Version Index.....	7
Deadlock Functions.....	8
Knob Version Index.....	12
FUNCTION DESCRIPTION	
Passage or Closet	14
Privacy, Bedroom or Bathroom (ANSIF02).....	16
Store Door.....	16
Entrance or Storeroom.....	16
Hotel or Motel.....	18
Privacy, Bedroom or Bathroom (ANSIF19).....	20
Dormitory, Entrance or Storeroom	20
Institution or Utility.....	22
Entrance or Public Restroom	24
Classroom	24
Entrance or Apartment.....	26
Entrance or Office	28
Storeroom or Closet	30
Privacy.....	32
Apartment or Dormitory.....	34
Institutional Privacy.....	36
Classroom Security	38
Lever Version Index	40
FUNCTION DESCRIPTION	
Passage or Closet	42
Privacy, Bedroom or Bathroom (ANSIF02).....	44
Store Door.....	44
Entrance or Storeroom.....	44
Hotel or Motel.....	46
Privacy, Bedroom or Bathroom (ANSIF19).....	48
Dormitory, Entrance or Storeroom	48
Institution or Utility.....	50
Entrance or Public Restroom	52
Classroom	52
Entrance or Apartment.....	54
Entrance or Office	56
Storeroom or Closet	58
Privacy.....	60
Apartment or Dormitory.....	62
Institutional Privacy.....	64
Classroom Security	66
Mortise Crossbar Exit Device Index	
DEVICE DESCRIPTION	
ED6600Series	68
ED6600ASeries.....	70
ED7600,ED7600ASeries.....	72
Strikes	74
Lock Case Assembly Parts - Master List	75

Trim Index.....	81
Trim Components	82
DESCRIPTION	
Lever x Wrought Escutcheon.....	82
Wrought Knob x Wrought Escutcheon.....	82
Lever x Cast Escutcheon	83
Vandal Resistant Lever Trim.....	83
Cast Knob x Cast Escutcheon	84
Lever x Rose	84
Wrought Knob x Rose	85
Cast Knob x Rose	85
Half Trim - Lever x Escutcheon	86
Half Trim - Wrought Knob x Escutcheon	86
Half Trim - Cast Knob x Escutcheon	86
Half Trim - Lever x Rose.....	87
Half Trim - Wrought Knob x Rose.....	87
Half Trim - Cast Knob x Rose.....	87
Inside Levers & Outside Lever & Spindle Assemblies.....	88
Inside Knobs & Outside Knob & Spindle Assemblies	92
Escutcheons.....	94
Rose & Thimble Packets	101
Adapter Packets.....	102
Spindle Component Parts.....	105
Spindles	105
Screws & Screw Packets	106
Miscellaneous Parts.....	107
Cylinders	108
Cylinder Collars.....	108
ML2000 Hand Reversing Instructions	111

Deadlock Functions

ML2011	8
ML2012	8
ML2013,ML2013HS	8
ML2017	10

Lockset Functions	Knob	Lever
ML2010,ML2010HS,ML2010VR	14	42
ML2020,ML2020HS,ML2020VR	16	44
ML2022,ML2022HS,ML2022VR	16	44
ML2024,ML2024HS,ML2024VR	16	44
ML2029,ML2029HS,ML2029VR	18	46
ML2030,ML2030HS,ML2030VR	20	48
ML2032,ML2032HS,ML2032VR	22	50
ML2042,ML2042HS,ML2042VR	24	52
ML2048,ML2048HS,ML2048VR	26	54
ML2051,ML2051HS,ML2051VR	28	56
ML2055,ML2055HS,ML2055VR	24	52
ML2057,ML2057HS,ML2057VR	30	58
ML2060,ML2060VR	32	60
ML2065,ML2065HS,ML2065VR	20	48
ML2067,ML2067HS,ML2067VR	34	62
ML2069,ML2069HS,ML2069VR	36	64
ML2072,ML2072HS,ML2072VR	38	66
ML2075,ML2075HS,ML2075VR	38	66


Exit Device Functions

MLE03	68
MLE04	68
MLE05	68
MLE06	70
MLE07	70
MLE08	72
MLE09	72

The Door Opens to New Compliance Requirements.

The *Americans with Disabilities Act* was signed into law on July 26, 1990. This Federal law has far-reaching implications on the application of door hardware products. As a manufacturer of a full line of life safety and security products, we want to help in the understanding of this law.


The summary below relates directly to the application and compliance of locksets as referenced in the *Americans with Disabilities Act*, which incorporates American National Standards Institute (ANSI) A117.1 specifications.

**Summary of Requirements:****Locksets**


"Handles, pulls, latches, locks and other operating devices on accessible doors shall have a shape that is easy to grasp with one hand and does not require tight grasping, tight pinching, or twisting of the wrist to operate. Lever-operated mechanisms, push-type mechanisms and U-shaped handles are acceptable designs."

Mortise Lock Conversion Kit is available to convert knob x knob operation to lever x lever operation. See page 104.


The foregoing is only a summary of the applicable regulations and your attention is directed to the Federal Disabilities Act and ANSI A117.1 for complete details and regulations. Since the application of the Act depends on specific site circumstances, you should use this summary only as a general guide and be sure to review local and state standards which may contain additional or modified requirements. For further information contact the Architectural and Transportation Barriers Compliance Board.

**Deadbolt by Key Outside (No Inside Operation) ANSI F18 PG 8**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2011 MR Option	D138 Option	-----

**Deadbolt by Key Either Side ANSI F16 PG 8**

	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2012 MR Option	D138 Option	-----

**Deadbolt by Key Outside or by Thumbturn Lever Inside ANSI F17 PG 8**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2013 MR Option	D138 Option	ML2013HS

**Deadbolt by Key Outside/Thumbturn Lever Inside Retracts Deadbolt Only (Will Not Project Deadbolt) PG 10**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2017 MR Option	D138 Option	-----

**Deadbolt by Key Outside (No Inside Operation)**

	For 1-3/4" Min. Doors	For 1-3/8" Doors
Type	Standard Master Ring	1" Front
Function	ML2011 -----	D138 Option

**Deadbolt by Key Either Side**

	For 1-3/4" Min. Doors	For 1-3/8" Doors
Type	Standard Master Ring	1" Front
Function	ML2012 MR Option	D138 Option

**Deadbolt by Key Outside or by Thumbturn Lever Inside**


	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	High Security	1" Front
Function	ML2013	MR Option	ML2013HS	D138 Option


Item	Part No.	Description
S/A	701F06-8*	Deadlock Body No Cylinder or trim for Standard
	701F16-8	D138 Option
	711F06-8	MR Option
	792F06-8	High Security
1	687F53-8*	Case & Front Sub Assembly for Standard
	687F54-8	D138 Option
	687F58-8	MR Option
2	700F27-8*	Cap, Case for Standard
	701F57-8	MR Option
9	700F23-5	Hub, Turnpiece for Standard
	700F31-5	MR Option
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
31	402F73-8*	Bracket, Cylinder Set Screw

Item	Part No.	Description
35	684F18-8**	Screw, FHUM-PH-TITE #8-32x3/8"
50	Specialty Finish 079F00 079F02	Armored Front for Standard & High Security D138 Option
51	236L74018	Std. Strike (See page 74 options)
52	Specialty Finish 429F41 488F09 465F57 616F12 488F08-8 488F10-8	Mortise Lock Mounting packet for Standard MR Option High Security (M04) MR x M04 (see pg 106 for packet descriptions) NOTE: For double cylinder functions an additional cylinder set screw is required. Cylinder Set Screw for Standard MR Option

*For M26 Option, replace suffix "-8" with "2".

**For M26 Option, replace suffix "-8" with "-7".







	For 1-3/4" Min. Doors	For 1-3/8" Doors
Type	Standard Master Ring	1" Front
Function	ML2017 -----	D138 Option

Item	Part No.	Description	Item	Part No.	Description
S/A		Deadlock Body No Cylinder or Thumbturn for	48	403F56-8*	Deadlock Body
	701F26-8*	Standard	49	403F66-8	Lever, Locking
	701F36-8	D138 Option	50	<i>Specialty Finish</i> 079F00 079F02	Armored Front for Standard D138 Option
1	687F53-8*	Case & Front Sub Assembly for	51	236L74018	Std. Strike (See pg. 74 for options)
	687F54-8	Standard D138 Option	52	<i>Specialty Finish</i> 429F41 465F57	Mortise Lock Mounting Packet for Standard M04 (See page 106 for packet descriptions)
2	700F27-8*	Cap, Case			
9	700F23-5	Hub, Turnpiece			
11	702F98-7	Deadbolt			
12	701F22-8**	Spring Deadbolt			
31	402F73-8*	Bracket, Cylinder Set Screw			
35	684F18-8*	Screw, FHUM-PH-TITE #8-32 x 3/8"			


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




**Passage or Closet ANSI F01 PG 14**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2010 -----	D138 Option	ML2010HS

**Privacy, Bedroom or Bathroom ANSI F02 PG 16**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2020 -----	D138 Option	ML2020HS

**Store Door ANSI F14 PG 16**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2022 MR Option	D138 Option	ML2022HS

**Entrance or Storeroom ANSI F21 PG 16**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2024 MR Option	D138 Option	ML2024HS

**Hotel or Motel ANSI F15 PG 18**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2029 -----	D138 Option	ML2029HS

**Privacy, Bedroom or Bathroom ANSI F19 PG 20**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2030 -----	D138 Option	ML2030HS

**Institution or Utility PG 22**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2032 -----	D138 Option	ML2032HS

**Entrance or Public Restroom ANSI F09 PG 24**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2042 MR Option	D138 Option	ML2042HS

**Entrance or Apartment ANSI F10 PG 26**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2048 MR Option	D138 Option	ML2048HS

**Entrance or Office ANSI F04 PG 28**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2051 MR Option	D138 Option	ML2051HS

**Classroom ANSI F05 PG 24**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2055 MR Option	D138 Option	ML2055HS

**Storeroom or Closet ANSI F07 PG 30**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2029 -----	D138 Option	ML2029HS

**Privacy ANSI F22 PG 32**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	
Function	ML2060 -----	D138 Option	

**Dormitory, Entrance or Storeroom F 13 PG 20**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2065 MR Option	D138 Option	ML2065HS

**Apartment or Dormitory ANSI F20 PG 34**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2067 MR Option	D138 Option	ML2067HS

**Institutional Privacy PG 36**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2069 -----	D138 Option	ML2069HS

**Classroom Security PG 38**

	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2072 MR Option	D138 Option	ML2072HS

**Classroom Security PG 38**

	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	High Security
Function	ML2075 MR Option	D138 Option	ML2075HS



Passage or Closet

	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2010	-----	ML2010HS
			1" Front
			D138 Option


Item	Part No.	Description
S/A		Knoblock Body No Cylinder or Trim for
	701F10-8*	Standard
	792F20-8	D138 Option
	792F10	High Security
1		Case & Front Sub Assembly for
	687F53-8*	Standard & High Security
	687F54-8	D138 Option
2	700F27-8*	Cap, Case
4		Hub, Knob
	684F14-7	Deadbolt
	683F33-7	Spring Deadbolt
10	688F17-7	Latchbolt Sub Assembly
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor

Item	Part No.	Description
21	565F04-8**	Spring, Hub lever
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
50	<i>Specialty Finish</i>	Armored Front for
	423F55	Standard
	423F58	D138 Option
51	236L73 018	Std. Strike (See pg. 74 for options)
52	<i>Specialty Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	465F57	High Security (M04) (See page 106 for packet descriptions)


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".


Passage or Closet




Privacy, Bedroom or Bathroom, Store Door, Entrance or Storeroom



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2020	-----	ML2020HS
			D138 Option



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2022	MR Option	ML2022HS
			D138 Option





	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2024	MR Option	ML2024HS
			D138 Option

Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F05-8*	Standard
	701F15-8*	D138 Option
	711F05-8*	MR Option
	792F05-8	High Security
1		Case and Front Sub Assembly for
	687F3-8*	Standard
	687F54-8	D138 Option
	687F58-8	MR Option
2		Cap, Case for
	700F27-8*	Standard
	701F57-8	MR Option
4		Hub knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
9		Hub, Turnpiece for
	813F505	Standard
	700F31-5	MR Option
10	688F17-7	Latchbolt Sub Assembly


Item	Part No.	Description
11	702F987-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub, Lever
22	701F748	Lever, Cylinder latch
	815F098	MR Option
31	402F73-8*	Bracket, Cylinder Set Screw
50	<i>Specialty Finish</i>	Armored Front for
	423F54	Standard
	423F57	D138 Option

Privacy, Bedroom or Bathroom, Store Door, Entrance or Storeroom

Item	Part No.	Description
51	236L72018	Std. Strike (See pg. 74 for options)
52	<i>Specialty Finish</i>	Mortise Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	High Security (M04)
	616F12	MR & M04
		(See pg. 106 for packet descriptions) NOTE: For double cylinder functions an additional cylinder set screw is required.
		Cylinder Set Screw for
	488F08-8	Standard
	488F10-8	MR Option
53	700F95-7	Spring, Latch Lever



Hotel or Motel



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2029	-----	ML2029HS
			D138 Option


Item	Part No.	Description
S/A	701F03-8*	Knob Lock Body (No Cylinder or Trim) for Standard
	701F13-8*	D138 Option
	792F03-8	MR Option
		High Security
1	687F53-8*	Case and Front Sub Assembly for Standard
	687F54-8	D138 Option
2	700F27-8*	Cap, Case
4		Hub knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
8	684F05-5	Stop Fixed
9	700F23-5	Hub, Turnpiece
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8*	Spring, Deadbolt
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever Auxiliary

Item	Part No.	Description
17	678F67-7	Spring, Auxiliary Lever
18	681F36-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever
22	688F14-8*	Lever, Cylinder Latch
24	436F17-7	Ring, Retaining
31	402F73-8*	Bracket, Cylinder Set Screw
35	684F18-8*	Screw, FHUM-PH-TITE #8-32x3/8"
38	684F06-7	Screw, Stop
50	<i>Specialty Finish</i> 402F30 402F34	Armored Front for Standard D138 Option
51	236L72018	Std. Strike (See pg. 74 for options)
52	<i>Specialty Finish</i> 429F41 465F57	Mortise Lock Mounting Packet for Standard High Security (M04) (See pg. 106 for packet descriptions)
53	700F95-7	Spring, Latch Lever


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".


Hotel or Motel



Privacy, Bedroom or Bathroom, Dormitory, Entrance or Storeroom



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2030	-----	ML2030HS
			D138 Option



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2065	MR Option	ML2065HS
			D138 Option


Item	Part No.	Description
SA		Knob Lock Body (No Cylinder or Trim) for
	701F02-8*	Standard
	701F12-8*	D138 Option
	711F02-8	MR Option
	792F02-8	High Security
1		Case and Front Sub Assembly for
	687F53-8*	Standard
	687F54-8	D138 Option
	687F58-8	MR Option
2		Cap, Case for
	700F27-8*	Standard
	701F57-8	MR Option
3	700F70-8*	Lever, Stop
4		Hub, Knob
	684F14-7	Standard
	683F33-7	MR Option
7	684F05-5	Stop
9		Hub, Turnpiece for
	700F23-5	Standard
	700F31-5	MR Option
10	688F717-7	latchbolt Sub Assembly
11	702F98-7	Deadbolt

Item	Part No.	Description
12	701F22-8**	Spring, Deadbolt
18	681F36-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, hub lever
22	688F14-8*	Lever, Cylinder Latch
31	402F73-8*	Bracket, Cylinder Set Screw
35	684F18-8**	Screw, FHUM-PH-TITE #8-32x3/8"
38	684F06-7	Screw, Stop
50	<i>Specialty Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	High Security (M04)
	616F12	MR x M04 (See pg. 106 for Packet description)
53	700F95-7	Spring, Latch Lever


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".

Privacy, Bedroom or Bathroom, Dormitory, Entrance or Storeroom



Privacy, Bedroom or Bathroom, Dormitory, Entrance or Storeroom



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2032	MR Option	ML2032HS
			D138 Option


Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F29-8*	Standard
	701F39-8*	D138 Option
	711F29-8*	MR Option
	792F29-8	High Security
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8	D138 Option
	687F58-8	MR Option
2		Cap, Case for
	700F27-8*	Standard
	701F57-8	MR Option
4		Hub, Knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
8	684F55-9	Stop, Fixed
10	688F17-7	Latchbolt Sub Assembly
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever

Item	Part No.	Description
22	688-F14-8*	Lever, Cylinder Latch
23	681F48-9	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
31	402F73-8*	Bracket, Cylinder Set Screw
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i> 624F49 624F53	Armored Front for Standard D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41 488F09 465F57 616F12 488F08-8 488F10-8	Mortise Lock Mounting Packet for Standard MR Option High Security (M04) MR x M04 (See page 106 for packet descriptions) NOTE: For double cylinder functions an additional cylinder set screw is required. Cylinder Set Screw for Standard MR Option


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".


Institution or Utility



Entrance, Public Restroom or Classroom



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2042	MR Option	ML2042HS
			D138 Option



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2055	MR Option	ML2055HS
			D138 Option

Item	Part No.	Description
S/A	701F08-8*	Knob Lock Body (No Cylinder or Trim) for Standard
	701F18-8*	D138 Option
	711F08-8*	MR Option
	792F08-8	High Security
	780F08-8	Latch Hold Back
	780F18-8	LHB x D138
1	687F53-8*	Case & Front Sub Assembly for Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2	700F27-8*	Cap, Case for Standard
	701F57-8*	MR Option
3	681F44-8*	Lever, Stop
4	684F14-7	Hub, Knob Standard
	683F33-7	High Security
7	684F05-5	Stop
10	688F17-7	Latchbolt Sub Assembly
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".


***For LHB Option.

Item	Part No.	Description
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever
22	688F14-8*	Lever, Cylinder Latch
23	681F48-9	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
25	685F38-7	Spring, Stop
31	402F73-8*	Bracket, Cylinder Set Screw
33	701F70-5	Lever, Stop Cylinder
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
43	681F07-5***	Lever, Hold Back
50	<i>Specify Finish</i> 624F49 624F53 681F34 681F35	Armored Front for Standard D138 Option LHB LHB & D138
51	236L73 018	Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41 488F09 465F57 616F12	Mortise Lock Mounting Packet for Standard MR Option High Security (M04) MR & M04 (See page 106 for packet descriptions)
		NOTE: For double cylinder functions an additional cylinder set screw is required.
		Cylinder Set Screw for
	488F08-8	Standard & High Security
	488F10-8	MR Option

Entrance, Public Restroom or Classroom



Entrance or Apartment



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	High Security	1" Front
Function	ML2048	MR Option	ML2048HS	D138 Option


Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F04-8*	Standard
	701F14-8*	D138 Option
	711F04-8*	MR Option
	792F04-8	High Security
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case for
	700F27-8*	Standard
	701F57-8*	MR Option
4		Hub, Knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
9		Hub, Turnpiece for
	700F23-5	Standard
	700F31-5	MR Option
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
18	681F37-8*	Lever, Hub

Item	Part No.	Description
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever
22	688F14-8*	Lever, Cylinder Latch
26	461F01-2	Toggle Sub Assembly
27	402F63-7	Spring, Toggle
28	402F61-7	Spring, Seat
31	402F73-8*	Bracket, Cylinder Set Screw
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i> 402F31 402F35	Armored Front for Standard D138 Option
51	236L72 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41 488F09 465F57 616F12	Mortise Lock Mounting Packet for Standard MR Option High Security (M04) MR x M04(See page 106 for packet descriptions)
53	700F95-7	Spring, Latch Lever


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".

Entrance or Apartment



Entrance or Office



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2051	MR Option	ML2051HS
			D138 Option

Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F07-8*	Standard
	701F17-8*	D138 Option
	711F07-8*	MR Option
	792F17-8	High Security
	780F07-8	Latch Hold Back Option
	780F17-8	LHB x D138
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case for
	700F27-8*	Standard
	701F57-8*	MR Option
4		Hub, Knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
10	688F17-7	Latchbolt Sub Assembly
13	602F19-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever


Item	Part No.	Description
22	701F748	Lever, Cylinder Latch
23	705F949	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
25	685F38-7***	Spring, Stop
31	402F73-8*	Bracket, Cylinder Set Screw
33	701F70-5***	Lever, Stop Cylinder
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
43	701F565	Lever, Hold Back
50	<i>Specify Finish</i>	Armored Front for
	681F31	Standard
	681F30	D138 Option
	681F41	LHB
	681F40	LHB & D138
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	High Security (M04)
	616F12	MR & M04 (See page 106 for packet descriptions)

*For M26 Option, replace suffix "-8" with "-2".


**For M26 Option, replace suffix "-8" with "-7".

***For LHB Option.

Entrance or Office



Storeroom or Closet



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2057	MR Option	ML2057HS
			D138 Option

Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F09-8*	Standard
	701F19-8*	D138 Option
	711F09-8*	MR Option
	792F09-8	High Security
	780F09-8	Latch Hold Back Option
	780F19-8	LHB x D138
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case for
	700F27-8*	Standard
	701F57-8*	MR Option
4		Hub, Knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
8	684F55-9	Stop, Fixed
10	688F17-7	Latchbolt Sub Assembly
13	602F19-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever


Item	Part No.	Description
22	701F748	Lever, Cylinder Latch
23	705F949	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
25	685F38-7***	Spring, Stop
31	402F73-8*	Bracket, Cylinder Set Screw
33	701F70-5***	Lever, Stop Cylinder
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
43	701F565	Lever, Hold Back
50	<i>Specify Finish</i>	Armored Front for
	624F49	Standard
	624F53	D138 Option
	681F34	LHB
	681F35	LHB & D138
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	High Security (M04)
	616F12	MR & M04 (See page 106 for packet descriptions)

*For M26 Option, replace suffix "-8" with "-2".


**For M26 Option, replace suffix "-8" with "-7".

***For LHB Option.

Storeroom or Closet



Privacy



	For 1-3/4" Min. Doors	For 1-3/8" Doors
Type	Standard Master Ring	1" Front
Function	ML2060 -----	D138 Option


Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F78-8*	Standard
	701F79-8*	D138 Option
1		Case & Front Sub Assembly for
	687F55-8*	Standard
	687F56-8*	D138 Option
2		Cap, Case for
	700F27-8*	Standard
3	682F01-8*	Lever, Sub Assembly, Stop
4	684F14-7	Hub, Knob
7	684F05-5	Stop
9	624F45-5	Hub, Turnpiece
10	688F17-7	Latchbolt Sub Assembly
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever

Item	Part No.	Description
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
44	624F42-7	Spring
45	624F43-9	Spacer
46	624F44-9	Spacer
47	688F01-7	Spring, Kick off
50	<i>Specify Finish</i>	Armored Front for
	423F55	Standard
	423F58	D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	465F57	High Security (M04) (See page 106 for packet descriptions)


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".

Privacy



Apartment or Dormitory



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2067	MR Option	ML2067HS
			D138 Option


Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F01-8*	Standard
	701F11-8*	D138 Option
	711F01-8	MR Option
	792F01-8	High Security
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8	MR Option
2		Cap, Case for
	700F27-8*	Standard
	700F57-8*	MR Option
3	682F01-8*	Lever, Sub Assembly, Stop
4		Hub, Knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
9		Hub, Turnpiece for
	813F505	Standard
	700F31-5	MR Option
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
13	602F19-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever

Item	Part No.	Description
22	701F748	Lever, Cylinder Latch
24	436F17-7	Ring, Retaining
26	461F01-2	Toggle Sub Assembly
27	402F63-7	Spring, Toggle
28	402F61-7	Spring, Seat
31	402F73-8	Bracket, Cylinder Set Screw
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i> 402F29 402F33	Armored Front for Standard D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41 488F09 465F57 616F12	Mortise Lock Mounting Packet for Standard High Security (M04) MR x M04 (See page 106 for packet descriptions)
53	700F95-7	Spring, Latch Lever


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".

Apartment or Dormitory



Institutional Privacy



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2069	MR Option	ML2069HS
			D138 Option


Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F52-8*	Standard
	701F59-8*	D138 Option
	792F52-8	High Security
1		Case & Front Sub Assembly for
	687F55-8*	Standard
	687F56-8*	D138 Option
2	700F27-8*	Cap, Case
3	624F47-8	Lever, Sub Assembly, Stop
4		Hub, Knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
9	624F45-5	Hub, Turnpiece
10	688F17-7	Latchbolt Sub Assembly
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever

Item	Part No.	Description
22	688F14-8*	Lever, Cylinder Latch
23	681F48-9	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
31	402F73-8	Bracket, Cylinder Set Screw
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
44	624F42-7	Spring
45	624F43-9	Spacer
46	624F44-9	Spacer
47	688F01-7	Spring, Kick off
50	<i>Specify Finish</i> 624F49 624F53	Armored Front for Standard D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41 465F57	Mortise Lock Mounting Packet for Standard High Security (M04)


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".


Institutional Privacy



Classroom Security



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2072	MR Option	ML2072HS
			D138 Option



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	High Security
Function	ML2075	MR Option	ML2075HS
			D138 Option


Item	Part No.	Description
S/A		Knob Lock Body (No Cylinder or Trim) for
	701F75-8*	Standard
	701F85-8*	D138 Option
	711F75-8	MR Option
	792F75-8	High Security
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case For
	700F27-8*	Standard
	700F57-8*	MR Option
3	700F25-8	Lever, Stop
4		Hub, Knob
	684F14-7	Standard
	683F33-7	High Security
7	684F05-5	Stop
9		Hub, Turnpiece
	700F23-5	Standard
	700F31-5	MR Option
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
13	700F21-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary


Item	Part No.	Description
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F36-8*	Lever, Hub
19	688F03-8**	Retractor
21	565F04-8**	Spring, Hub Lever
22	700F22-8*	Lever, Cylinder Latch
24	436F17-7	Ring, Retaining
31	402F73-8	Bracket, Cylinder Set Screw
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i> 402F30 402F34	Armored Front for Standard D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41 488F09 465F57 616F12	Mortise Lock Mounting Packet for Standard MR Option High Security (M04) MR & M04 (See page 106 for packet descriptions) NOTE: For double cylinder functions an additional cylinder set screw is required.)
		Cylinder Set Screw for
	488F08-8 488F10-8	Standard & High Security MR Option
53	700F95-7	Spring, Latch Lever
54	703F99-7	Spring, Stop

*For M26 Option, replace suffix "-8" with "-2".


**For M26 Option, replace suffix "-8" with "-7".

Classroom Security




**Passage or Closet ANSI F01 PG 42**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2010 -----	D138 Option	ML2010VR

**Privacy Bedroom or Bathroom ANSI F02 PG 44**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2020 -----	D138 Option	ML2020VR

**Store Door ANSI F14 PG 44**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2022 MR Option	D138 Option	ML2022VR

**Entrance or Storeroom ANSI F21 PG 44**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2024 MR Option	D138 Option	ML2024VR

**Hotel or Motel ANSI F15 PG 46**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2029 -----	D138 Option	ML2029VR

**Privacy, Bedroom or Bathroom ANSI F19 PG 48**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2030 -----	D138 Option	ML2030VR

**Institution or Utility PG 50**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2032 -----	D138 Option	ML2032VR

**Entrance or Public Restroom ANSI F09 PG 52**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2042 MR Option	D138 Option	ML2042VR

**Entrance or Apartment ANSI F10 PG 54**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2048 MR Option	D138 Option	ML2048VR

**Entrance or Office ANSI F04 PG 56**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2051 MR Option	D138 Option	ML2051VR

**Classroom ANSI F05 PG 52**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2055 MR Option	D138 Option	ML2055VR

**Storeroom or Closet ANSI F07 PG 58**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2057 MR Option	D138 Option	ML2057VR

**Privacy ANSI F22 PG 60**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2060 MR Option	D138 Option	ML2060VR

**Dormitory, Entrance or Storeroom ANSI F13 PG 48**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2065 MR Option	D138 Option	ML2065VR

**Apartment or Dormitory ANSI F12 PG 62**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2067 MR Option	D138 Option	ML2067VR

**Institutional Privacy PG 56**

	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2069 -----	D138 Option	ML2069VR

**Classroom Security PG 66**


	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2072 MR Option	D138 Option	ML2072VR

**Classroom Security PG 66**

	For 1-3/4" Min. Doors	For 1-3/8" Doors	
Type	Standard Master Ring	1" Front	Vandal Resistant
Function	ML2075 MR Option	D138 Option	ML2075VR



Passage or Closet



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2010	-----	ML2010VR	D138 Option

Item	Part No.	Description
S/A	700F10-8*	Lever Lock Body (No Cylinder or Trim) for Standard & Vandal Resistant
	700F20-8*	D138 Option
1	687F53-8*	Case & Front Sub Assembly for Standard
	687F54-8*	D138 Option
2	700F27-8*	Cap, Case
5	684F10-8**	Hub (Case Side) Standard
	684F10-7	Vandal Resistant
6	684F09-8**	Hub (Case Side) Standard
	684F09-7	Vandal Resistant
10	688F17-7	Latchbolt Sub Assembly
18	681F36-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
29	466F22-9	Spacer


Item	Part No.	Description
30	404F85-8**	Spring, Lever Return
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i>	Armored Front for
	423F55	Standard
	423F58	D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet
	429F41	Vandal Resistant & M04
	465F57	(See page 106 for packet descriptions)

*For M26 Option, replace suffix "-8" with "-2".


**For M26 Option, replace suffix "-8" with "-7".




Passage or Closet




Privacy, Bedroom or Bathroom, Store Door, Entrance or Storeroom



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2020	-----	ML2020VR	D138 Option



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2022	MR Option	ML2022VR	D138 Option



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2024	MR Option	ML2024VR	D138 Option

Item	Part No.	Description
S/A	700F05-8*	Lever Lock Body (No Cylinder or Trim) for Standard & Vandal Resistant
	700F15-8*	D138 Option
	710F05-8*	MR Option
1	687F53-8*	Case & Front Sub Assembly for Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2	700F27-8*	Cap, Case for Standard
	700F57-8*	MR Option
5	684F10-8**	Hub (Case Side) Standard
	684F10-7	Vandal Resistant
6	684F09-8**	Hub (Case Side) Standard
7	684F05-5	Stop
9	813F505	Hub, Turnpiece for Standard
	700F31-5	MR Option

Item	Part No.	Description
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
18	681F36-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
22	701F748	Lever Sub Assembly, Cylinder Latch
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F067	Stop Screw
50	<i>Specify Finish</i>	Armored Front for
	423F54	Standard
	423F57	D138 Option



*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".

Privacy, Bedroom or Bathroom, Store Door, Entrance or Storeroom




Item	Part No.	Description
51	236L72 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet For
	429F41	Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
		MR x M04
	616F12	(See page 106 for packet descriptions)
		NOTE: For double cylinder functions an additional cylinder set screw is required.
	488F08-8	Standard
	488F10-8	MR Option
53	700F95-7	Spring, Latch Lever





Hotel or Motel



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2029	-----	ML2029VR	D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F03-8*	Standard
	700F13-8*	D138 Option
	703F03-8*	Vandal Resistant
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
2	700F27-8*	Cap, Case
5		Hub (Case Side)
	684F10-8**	Standard
	684F10-7	Vandal Resistant
6		Hub (Case Side)
	684F09-8**	Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
8	684F55-9	Stop, Fixed
9	700F23-5	Hub, Turnpiece
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F36-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever


Item	Part No.	Description
22	688F14-8*	Lever, Cylinder Latch
24	436F17-7	Ring, Retaining
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i> 402F30 402F34	Armored Front for Standard D138 Option
51	236L72 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41 465F57	Mortise Lock Mounting Packet Vandal Resistant & M04 (See page 106 for packet descriptions)
53	700F95-7	Spring, Latch Lever

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Hotel or Motel






Privacy, Bedroom or Bathroom, Dormitory, Entrance or Storeroom



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2030	-----	ML2030VR	D138 Option



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2065	MR Option	ML2065VR	D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F02-8*	Standard
	700F12-8*	D138 Option
	710F02-8	MR Option
	703F02-8*	Vandal Resistant
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case for
	700F27-8*	Standard
	700F57-8*	MR Option
3	700F70-8*	Lever, Stop
5		Hub (Case Side)
	684F10-8**	Standard
	684F10-7	Vandal Resistant
6		Hub (Case Side)
	684F09-8**	Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
9	700F23-5	Hub, Turnpiece
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
18	681F36-8*	Lever, Hub


Item	Part No.	Description
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
22	688F14-8*	Lever, Cylinder Latch
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i>	Armored Front for
	423F54	Standard
	423F57	D138 Option
51	236L72 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet
	429F41	Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
	616F12	MR x M04 (See page 106 for packet descriptions)
53	700F95-7	Spring, Latch Lever

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Privacy, Bedroom or Bathroom, Dormitory, Entrance or Storeroom





Institution or Utility



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2032	MR Option	ML2032VR	D138 Option

Item	Part No.	Description
S/A	700F29-8*	Lever Lock Body (No Cylinder or Trim) for Standard
	700F39-8*	D138 Option
	710F29-8*	MR Option
	703F29-8*	Vandal Resistant
1	687F53-8*	Case & Front Sub Assembly for Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2	700F27-8*	Cap, Case for Standard
	700F57-8*	MR Option
3	700F70-8*	Lever, Stop
5	684F10-8**	Hub (Case Side) Standard
	684F10-7	Vandal Resistant
6	684F09-8**	Hub (Case Side) Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
8	684F55-9	Stop, Fixed
10	688F17-7	Latchbolt Sub Assembly
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever


Item	Part No.	Description
22	688F14-8*	Lever, Cylinder Latch
23	681F48-9	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i> 624F49	Armored Front for Standard
	624F53	D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i> 429F41	Mortise Lock Mounting Packet Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
	616F12	MR x M04 (See page 106 for packet descriptions)
	488F08-8	Cylinder Set Screw for Standard & Vandal Resistant
	488F10-8	MR Option

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Institution or Utility






Entrance or Public Restroom, Classroom



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2042	MR Option	ML2042VR	D138 Option



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2055	MR Option	ML2055VR	D138 Option

Item	Part No.	Description
S/A	700F08-8*	Lever Lock Body (No Cylinder or Trim) for Standard
	700F18-8*	D138 Option
	710F08-8*	MR Option
	778F08-8*	Latch Hold Back Option
	778F18-8*	LHB x D138
	703F08-8*	Vandal Resistant
1	687F53-8*	Case & Front Sub Assembly for Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2	700F27-8*	Cap, Case for Standard
	700F57-8*	MR Option
3	681F44-8	Lever, Stop
5	684F10-8**	Hub (Case Side) Standard
	684F10-7	Vandal Resistant
6	684F09-8**	Hub (Case Side) Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
10	688F17-7	Latchbolt Sub Assembly
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".



***For LHB Option.

Item	Part No.	Description
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
22	688F14-8*	Lever, Cylinder Latch
23	681F48-9	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
25	685F38-7	Spring, Stop
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
33	701F70-5***	Lever, Stop Cylinder
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
43	681F07-5***	Lever, Hold Back
50	<i>Specify Finish</i>	Armored Front for
	624F49	Standard
	624F53	D138 Option
	681F34	LHB - Standard
	681F35	LHB x D138




Entrance or Public Restroom, Classroom

Item	Part No.	Description
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet For
	429F41	Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
	616F12	MR x M04 (See page 106 for packet descriptions)
		NOTE: For double cylinder functions an additional cylinder set screw is required.
	488F08-8	Standard
	488F10-8	MR Option





Entrance or Apartment



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2048	MR Option	ML2048VR	D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F04-8*	Standard
	700F14-8	D138 Option
	710F04-8	MR Option
	703F04-8*	Vandal Resistant
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case for
	700F27-8*	Standard
	700F57-8*	MR Option
5		Hub (Case Side)
	684F10-8**	Standard
	684F10-7	Vandal Resistant
6		Hub (Case Side)
	684F09-8**	Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
9		Hub, Turnpiece for
	700F23-5	Standard
	700F31-5	MR Option
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8**	Spring, Deadbolt
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
22	688F14-8*	Lever, Cylinder Latch


Item	Part No.	Description
26	461F01-2	Toggle Sub Assembly
27	402F63-7	Spring, Toggle
28	402F61-7	Spring, Seat
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i>	Armored Front for
	402F31	Standard
	402F35	D138 Option
51	236L72 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
	616F12	MR x M04 (See page 106 for packet descriptions)
53	700F95-7	Spring, Latch Lever

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Entrance or Apartment





Entrance or Office



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2051	MR Option	ML2051VR	D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F07-8*	Standard & Vandal Resistant
	700F17-8*	D138 Option
	710F07-8	MR Option
	778F07-8*	Latch Hold Back Option
	778F17-8*	LHB x D138
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case for
	700F27-8*	Standard
	700F57-8*	MR Option
5		Hub (Case Side)
	684F10-8**	Standard
	684F10-7	Vandal Resistant
6		Hub (Case Side)
	684F09-8**	Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
10	688F17-7	Latchbolt Sub Assembly
13	602F19-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever


Item	Part No.	Description
22	701F748	Lever, Cylinder Latch
23	705F949	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
25	685F38-7***	Spring, Stop
26	461F01-2	Toggle Sub Assembly
27	402F63-7	Spring, Toggle
28	402F61-7	Spring, Seat
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
33	701F70-5***	Lever, Stop Cylinder
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
43	701F56-5***	Lever, Hold Back
50	<i>Specify Finish</i>	Armored Front for
	681F31	Standard
	681F30	D138 Option
	681F41	LHB Standard
	681F40	LHB x D138
51	236L72 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
	616F12	MR x M04 (See page 106 for packet descriptions)

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Entrance or Office





Storeroom or Closet



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2057	MR Option	ML2057VR	D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F09-8*	Standard
	700F19-8*	D138 Option
	710F09-8*	MR Option
	778F09-8*	Latch Hold Back Option
	778F19-8	LHB x D138
	703F09-8*	Vandal Resistant
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8*	D138 Option
	687F58-8*	MR Option
2		Cap, Case for
	700F27-8*	Standard
	700F57-8*	MR Option
5		Hub (Case Side)
	684F10-8**	Standard
	684F10-7	Vandal Resistant
6		Hub (Case Side)
	684F09-8**	Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
8	684F55-9	Stop, Fixed
10	688F17-7	Latchbolt Sub Assembly
13	602F19-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor

Item	Part No.	Description
21	565F04-8**	Spring, Hub Lever
22	701F748	Lever, Cylinder Latch
23	705F949	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining
25	685F38-7***	Spring, Stop
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
33	701F70-5***	Lever, Stop Cylinder
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
43	701F56-5***	Lever, Hold Back
50	<i>Specify Finish</i>	Armored Front for
	624F49	Standard
	624F53	D138 Option
	681F34	LHB Standard
	681F35	LHB x D138
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
	616F12	MR x M04 (See page 106 for packet descriptions)


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".

***For LHB Option.




Storeroom or Closet





Privacy



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant
Function	ML2060	-----	ML2060VR
			D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F76-8*	Standard
	700F77-8*	D138 Option
	703F76-8*	Vandal Resistant
1	687F55-8*	Case & Front Sub Assembly for Standard
	687F56-8*	D138 Option
2	700F27-8*	Cap, Case for
3	682F01-8	Lever Sub Assembly, Stop
5	684F10-8**	Hub (Case Side) Standard
	684F10-7	Vandal Resistant
6	684F09-8**	Hub (Case Side) Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
9	624F44-5	Hub, Turnpiece
10	688F17-7	Latchbolt Sub Assembly
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align


Item	Part No.	Description
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
39	468F32-9	Label, Operator/Date
40	388F01-9	Label, UL
41	685F17-9	Label, Identification
44	624F42-7	Spring
45	624F43-9	Spacer
46	624F44-9	Spacer
47	688F01-7	Spring, Kickoff
50	<i>Specify Finish</i>	Armored Front for
	423F55	Standard
	423F58	D138 Option
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	465F57	Vandal Resistant & M04 (See page 106 for packet descriptions)

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Privacy





Apartment or Dormitory



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2067	MR Option	ML2067VR	D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F01-8*	Standard
	700F11-8*	D138 Option
	710F01-8*	MR Option
	703F01-8*	Vandal Resistant
1		Case & Front Sub Assembly for
	687F53-8*	Standard
	687F54-8	D138 Option
	687F58-8*	MR Option
2	700F27-8*	Cap, Case for
	701F57-8	MR Option
3	700F74-8	Lever, Stop
5		Hub (Case Side)
	684F10-8**	Standard
	684F10-7	Vandal Resistant
6		Hub (Case Side)
	684F09-8**	Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
9		Hub, Turnpiece for
	813F505	Standard
10	688F17-7	Latchbolt Sub Assembly
11	702F98-7	Deadbolt
12	701F22-8	Spring, Deadbolt
13	602F19-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub


Item	Part No.	Description
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
22	701F748	Lever, Cylinder Latch
24	436F17-7	Ring, Retaining
26	461F01-2	Toggle Sub Assembly
27	402F63-7	Spring, Toggle
28	402F61-7	Spring, Seat
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
50	<i>Specify Finish</i>	Armored Front for
	402F29	Standard
	402F33	D138 Option
51	236L72 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard
	488F09	MR Option
	465F57	Vandal Resistant & M04
	616F12	MR x M04 (See page 106 for packet descriptions)
53	700F95-7	Spring, Latch Lever

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Apartment or Dormitory





Institutional Privacy



	For 1-3/4" Min. Doors		For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant
Function	ML2069	-----	ML2069VR
			D138 Option

Item	Part No.	Description
S/A		Lever Lock Body (No Cylinder or Trim) for
	700F51-8*	Standard
	700F58-8*	D138 Option
	703F51-8*	Vandal Resistant
1	687F55-8*	Case & Front Sub Assembly for Standard
	687F56-8*	D138 Option
2	700F27-8*	Cap, Case
3	700F74-8	Lever, Stop
5	684F10-8**	Hub (Case Side) Standard
	684F10-7	Vandal Resistant
6	684F09-8**	Hub (Case Side) Standard
	684F09-7	Vandal Resistant
7	684F05-5	Stop
9	624F44-5	Hub, Turnpiece
10	688F17-7	Latchbolt Sub Assembly
13	624F48-8*	Lever, Deadlocking
14	700F90-7	Spring, Deadlocking Lever
15	403F67-7	Latch, Auxiliary
16	678F54-8*	Lever, Auxiliary
17	678F67-7	Spring, Auxiliary Lever
18	681F37-8*	Lever, Hub
19	688F03-8**	Retractor
20	690F82-7	Spring, Retractor
21	565F04-8**	Spring, Hub Lever
22	688F14-8*	Lever, Cylinder Latch
23	681F48-9	Stop, Cylinder Latch Lever
24	436F17-7	Ring, Retaining


Item	Part No.	Description
29	466F22-9	Spacer
30	404F85-8**	Spring, Lever Return
31	402F73-8*	Bracket, Cylinder Set Screw
32	404F86-8*	Bracket, Align
35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
36	684F11-9	Spacer, Hub
37	684F12-9	Spacer, Spring
38	684F06-7	Screw, Stop
44	624F42-7	Spring
45	624F43-9	Spacer
46	624F44-9	Spacer
47	688F01-7	Spring, Kickoff
50	<i>Specify Finish</i>	Armored Front for
	624F49	Standard
	624F53	D138
	465F57	Vandal Resistant
51	236L73 018	Std. Strike (See page 74 for options)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Vandal Resistant & M04
	465F57	(See page 106 for packet descriptions)

*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".




Institutional Privacy






Classroom Security



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2072	MR Option	ML2072VR	D138 Option



	For 1-3/4" Min. Doors			For 1-3/8" Doors
Type	Standard	Master Ring	Vandal Resistant	1" Front
Function	ML2075	MR Option	ML2075VR	D138 Option


Item	Part No.	Description	Item	Part No.	Description
S/A	700F75-8*	Lever Lock Body (No Cylinder or Trim) for Standard & Vandal Resistant	19	688F03-8**	Retractor
	700F85-8*	D138 Option	20	690F82-7	Spring, Retractor
	710F75-8	MR Option	21	565F04-8**	Spring, Hub Lever
			22	753F098	Lever, Cylinder Latch
1	687F53-8*	Case & Front Sub Assembly for Standard	24	436F17-7	Ring, Retaining
	687F54-8*	D138 Option	29	466F22-9	Spacer
	687F58-8*	MR Option	30	404F85-8**	Spring, Lever Return
			31	402F73-8*	Bracket, Cylinder Set Screw
2	700F27-8*	Cap, Case Standard	32	404F86-8*	Bracket, Align
	701F57-8*	MR Option	35	684F18-8**	Screw, FHUM-PH-TITE #8-32 x 3/8"
			36	684F11-9	Spacer, Hub
3	753F078	Lever, Stop	37	684F12-9	Spacer, Spring
5	684F10-8**	Hub (Case Side) Standard	38	684F06-7	Screw, Stop
	684F10-7	Vandal Resistant	50	Specify Finish 402F30 402F34	Armored Front for Standard D138
6	684F09-8**	Hub (Case Side) Standard	51	Specify Finish	Std. Strike (See page 74 for options)
	684F09-7	Vandal Resistant	52	Specify Finish 429F41 488F09 465F57 616F12 488F08-8 488F10-8	Mortise Lock Mounting Packet for Standard MR Option Vandal Resistant & M04 MR x M04 (See page 106 for packet descriptions) (NOTE: For double cylinder functions an additional cylinder set screw is required.) Cylinder Set Screw For Standard & Vandal Resistant MR Option
7	684F05-5	Stop	53	700F95-7	Spring, Latch Lever
9	813F505	Hub, Turnpiece (standard)	54	703F99-7	Spring, Stop
	700F315	MR Option			
10	688F17-7	Latchbolt Sub Assembly			
11	702F98-7	Deadbolt			
12	701F22-8	Spring, Deadbolt			
13	624F48-8*	Lever, Deadlocking			
14	700F90-7	Spring, Deadlocking Lever			
15	403F67-7	Latch, Auxiliary			
16	678F54-8*	Lever, Auxiliary			
17	678F67-7	Spring, Auxiliary Lever			
18	681F368	Lever, Hub			


*For M26 Option, replace suffix "-8" with "-2".

**For M26 Option, replace suffix "-8" with "-7".



Classroom Security







NOTE:
MLE03 (no trim)
function side view
shown as example.

		To Support Discontinued Double Cyl. Devices		
Exit Device Series	ED6600	Corbin Russwin	3126-1/2 796-1/2	3126-1/2NT NT796-1/2
Number of Mortise Lock Body	MLE03		MLE04	MLE05

Item	Part No.	Description
S/A		Crossbar Lock Body (No Cylinder or Trim) for
	424F50-8	MLE03 & MLE04
	424F52-8	MLE05
1	535F05-8	Case & Front Sub Assembly
2	424F37-8	Cap, Case
10	467F18-8	Latchbolt
14	236F17-8	Spring, Locking Lever
15	402F93-7	Latch, 5/16" Auxiliary
16	426F47-8	Lever, Auxiliary Latch
17	426F48-8	Spring, Auxiliary Latch Lever
18	424F34-8	Lever, Hub
22	362F06-8	Lever, Cylinder Latch
25	685F38-7	Spring, Stopworks
31	402F73-8	Bracket, Cylinder Set Screw
34		Lever, Hold Back for
	398F14-9	MLE03 & MLE04
	398F15-9	MLE05 - RHR
	398F16-9	MLE05 - LHR

Item	Part No.	Description
35	684F18-8	Screw, FHUM-PH-TITE #8-32 x 3/8"
42	466F86-8	Lever, Locking
50	<i>Specify Finish</i>	
	611F20	Armored Front
51	<i>Specify Finish</i>	Strike (See page 74 for listing)
52	<i>Specify Finish</i>	Mortise Lock Mounting Packet for
	429F41	Standard (See page 106 for packet descriptions)
60	483F43-8	Lever, Latch
61	363F52-8	Spring, Thumbturn Lever
62	424F33-8	Lever, Thumbturn
65	345F52-8	Lever, Thumbturn Latch
66	345F53-8	Lever, Connecting
67	379F51-8	Hub
68	424F13-8	Washer, Hold
69	132F89-3	Spring







NOTE:
MLE06 (no trim)
function side view
shown as example.

		To Support Discontinued Double Cyl. Devices	
Exit Device Series	ED6600A	Corbin Russwin	3126-1/2 U796-1/2
Number of Mortise Lock Body	MLE06		MLE07

Item	Part No.	Description
S/A	<i>Specify Finish</i> 424F51-8	Crossbar Lock Body (No Cylinder or Trim)
1	535F05-8	Case & Front Sub Assembly
2	424F37-8	Cap, Case
10	467F18-26	Latchbolt
14	236F17-8	Spring, Locking Lever
15	402F93-7	Latch, 5/16" Auxiliary
16	426F47-8	Lever, Auxiliary Latch
17	426F48-8	Spring, Auxiliary Latch Lever
18	424F34-8	Lever, Hub
22	362F06-8	Lever, Cylinder Latch
25	685F38-7	Spring, Stopworks
31	402F73-8	Bracket, Cylinder Set Screw
33	397F35-9	Lever, Cylinder Stop

Item	Part No.	Description
35	684F18-8	Screw, FHUM-PH-TITE #8-32 x 3/8"
42	466F86-8	Lever, Locking
50	<i>Specify Finish</i> 611F20	Armored Front
51	405L14 018	Std. Strike (See page 74 for listing)
52	<i>Specify Finish</i> 429F41	Mortise Lock Mounting Packet (See page 106 for packet descriptions)
60	483F43-8	Lever, Latch
61	363F52-8	Spring, Thumbturn Lever
62	424F33-8	Lever, Thumbturn
65	345F52-8	Lever, Thumbturn Latch
66	345F53-8	Lever, Connecting
67	379F51-8	Hub
68	424F13-8	Washer, Hold






NOTE:
MLE08 (no trim)
function side view
shown as example.







Exit Device Series	ED7600	ED7600A
Number of Mortise Lock Body	MLE08	MLE09

Item	Part No.	Description
S/A	<i>Specify Finish</i> 424F42-8 424F43-8	Crossbar Lock Body (No Cylinder or Trim) for MLE08 MLE09
1	535F19-8	Case & Front Sub Assembly
2	424F36-8	Cap, Case
10	467F18-8	Latchbolt
14	236F17-8	Spring, Locking Lever
15	402F93-7	Latch, 5/16" Auxiliary
16	426F47-8	Lever, Auxiliary Latch
17	426F48-8	Spring, Auxiliary Latch Lever
18	424F34-8	Lever, Hub
22	362F06-8	Lever, Cylinder Latch
25	685F38-7	Spring, Stopworks
31	402F73-8	Bracket, Cylinder Set Screw
33	397F35-9	Lever, Cylinder Stop




Item	Part No.	Description
35	684F18-8	Screw, FHUM-PH-TITE #8-32 x 3/8"
42	466F86-8	Lever, Locking
50	<i>Specify Finish</i> 611F20	Armored Front
51	405L14 018	Std. Strike (See page 74 for listing)
52	<i>Specify Finish</i> 429F41	Mortise Lock Mounting Packet (See page 106 for packet descriptions)
60	424F35-8	Lever, Latch
61	363F52-8	Spring, Thumbturn Lever
63	440F72-8	Lever, Bottom Thumbturn
64	440F73-8	Lever, Top Thumbturn
65	363F34-8	Lever, Thumbturn Latch
66	345F53-8	Lever, Connecting
68	424F13-8	Washer, Hold
69	132F89-3	Spring
70	424F32-8	Lever, Auxiliary



(Specialty Finish)


	Latchbolt & Deadbolt			Latchbolt			Deadbolt	Filler Plate
								
Lip Length	Straight Lip	Curved Lip RH/LHR	Curved Lip LH/RHR	Straight Lip	Curved Lip RH/LHR	Curved Lip LH/RHR	Straight Lip	Straight Lip
7/8"	236L72014	-----	-----	236L73014	-----	-----	236L74014	-----
1"	236L72016	-----	-----	236L73016	-----	-----	236L74016	236L70016
1-1/8"	236L72018	340L60018	340L61018	236L73018	340L62018	340L63018	236L74018	236L70018
1-1/4"	236L72020	340L60020	340L61020	236L73020	340L62020	340L63020	236L74020	236L70020
1-3/8"	236L72022	340L60022	340L61022	236L73022	340L62022	340L63022	236L74022	236L70022
1-1/2"	236L72024	340L60024	340L61024	236L73024	340L62024	340L63024	236L74024	236L70024
1-3/4"	236L72028	340L60028	340L61028	236L73028	340L62028	340L63028	236L74028	236L70028
2"	236L72032	340L60032	340L61032	236L73032	340L62032	340L63032	236L74032	236L70032
2-1/4"	236L72036	340L60036	340L61036	236L73036	340L62036	340L63036	236L74036	236L70036
2-1/2"	236L72040	340L60040	340L61040	236L73040	340L62040	340L63040	236L74040	236L70040
2-3/4"	236L72044	340L60044	340L61044	236L73044	340L62044	340L63044	236L74044	236L70044
3"	236L72048	340L60048	340L61048	236L73048	340L62048	340L63048	236L74048	236L70048

NOTE: On Curved Lip Strikes, the lip length will always be 1/8" longer than the lip length of Straight Lip Strikes for the same door thickness.
Example: for 1-3/4" door thickness order Straight Lip Strike in 1-1/8" lip length (236L72018) or Curved Lip Strike in 1-1/4" lip length (340L60020).


Open back Strike			Exit Device Strike			Wrought Box
						
Door Thickness	LHR	RHR	Lip Length	LHR	RHR	Wrought Box is available for all ANSI standardized strikes.
1-3/4" (016)	411L62016	411L63016	1-1/8"	405L138018	405L148018	
2" (018)	411L62018	411L63018	1-1/4"	405L138020	405L148020	
2-1/4" (020)	411L62020	411L63020	1-3/8"	405L138022	405L148022	

1 Case & Front Sub Assembly


- 687F53-8* Standard
- 687F54-8 D138 Option
- 687F58-8 MR Option




- 687F55-8* Standard
- 687F56-8 D138 Option




- 535F05-8 (Crossbar Versions)
- 687F56-8 Series &
- ED6600A Series



- 535F19-8 (Crossbar Versions)
- ED7600 Series &
- ED7600A Series




- 547F46-8 RHR
- 547F47-8 LHR
- (All Pushbar Series)




2 Case Caps


- 700F27-8* (Standard & HS)
- 700F57-8* (MR Option)



- 424F37-8 (Crossbar Versions)
- ED6600 Series &
- ED6600A Series




- 424F36-8 (Crossbar Versions)
- ED7600 Series &
- ED7600A Series



*For M26 Option, replace suffix "-8" with "-2".

3 Stop Levers


682F01-8 (Standard)



681F44-8 (Standard)

681F44-2 (M26 Option)

402F77-8 (Exit Device)




700F74-8 (Standard)

700F74-2 (M26 Option)




624F47-8 (Standard)

624F47-2 (M26 Option)




700F70-8 (Standard)

700F70-2 (M26 Option)



700F25-8 (Standard)



700F25-2 (M26 Option)



4 Knob Hub

684F14-7 (Standard)


683F33-7 (High Security)



5 Hub (Case Side)

684F10-8 (Standard)


684F10-7 (M26 Option) (VR)



6 Hub (Cap Side)


684F09-8 (Standard)

684F09-7 (M26 Option) (VR)



7 Stop

684F05-5 (Standard)



8 Fixed Stop


684F55-9




9 Turnpiece Hub

700F23-5 (Standard)

700F31-5 (MR Option)





624F44-5



10 Latchbolt


688F17-7 (Standard)

467F18-8 (Exit Device)




11 Deadbolt

702F98-7




12 Deadbolt Spring

701F22-8



13 Deadlocking Lever

602F19-8 (Standard)
602F19-7 (M26 Option)




700F21-8 (Standard)
700F21-2 (M26 Option)


624F48-8 (Standard)
624F48-2 (M26 Option)

18 Hub Lever


681F36-8 (Standard)
681F36-2 (M26 Option)




681F37-8 (Standard)
681F37-2 (M26 Option)



536F64-8 (Exit Device)




424F34-8 (Exit Device)




14 Deadlocking Lever Spring

700F90-7 (Standard)
236F17-8 (Exit Device)




15 Auxiliary Latches

403F67-7 (Standard)




402F93-7 625 (Exit Device)




19 Retractor

688F03-8 (Standard)
688F03-7 (M26 Option)




20 Retractor Spring

690F82-7 (Standard)




16 Auxiliary Levers

678F54-8 (Standard)
678F54-2 (M26 Option)




426F47-8 (Exit Device)




17 Auxiliary Lever Spring

678F67-7 (Standard)




426F48-8 (Exit Device)




21 Hub Lever pring

565F04-8 (Standard)
565F04-7 (M26 Option)




30 Lever Return Spring

404F85-8 (Standard)
404F85-7 (M26 Option)




22 Cylinder Latch Levers


688F14-8 (Standard)
688F14-2 (M26 Option)




700F22-8 (Standard)
700F22-2 (M26 Option)



536F59-8 (Exit Device)




362F06-8 (Exit Device)




31 Cylinder Set Screw Bracket

402F73-8 (Standard)
402F73-2 (M26 Option)




32 Align Bracket

404F86-8 (Standard)
402F86-2 (M26 Option)




33 Stop Cylinder Lever

701F70-5 (Standard)



397F35-9 (Exit Device)



23 Cylinder Latch Lever Stop

681F48-9 (Standard)




24 Retaining Ring

436F17-7




34 Holdback Lever

398F14-9 (Exit Device)
398F15-9 (Exit Device)
398F16-9 (Exit Device)



25 Stop Spring

685F38-7 (Standard)



35 Screw, FHUM-PH-TITE #8-32 x 3/8"

425F86-8 (Standard)
425F86-7 (M26 Option)



26 Toggle Sub Assembly

461F01-7




36 Hub Spacer

684F11-9 (Lever x Lever Trim)



27 Toggle Spring

402F63-7



37 Spring Spacer

684F12-9



28 Seat Spring

402F61-7



38 Stop Screw

684F06-7




29 Spacer

466F22-9




41 Identification Label

685F17-9




42 Locking Lever

466F86-8 (Exit Device)




43 Hold Back Lever

681F07-5



44 Spring

624F42-7



45 Spacer

624F43-9



46 Spacer

624F44-9



47 Spring, Kickoff

688F01-7



48 Spring


403F56-8 (Standard)

403F56-2 (M26 Option)



49 Lever, Locking

403F66-8



50 Armored Fronts

Specify Finish

For Deadbolt Only

079F00 Standard

079F02 D138 Option

For Deadbolt & Latchbolt

423F54 Standard

423F57 D138 Option

For Latchbolt Only

423F55 Standard

423F58 D138 Option

For Deadbolt, Latchbolt,
& Auxiliary Latch

402F30 Standard

402F34 D138 Option

For Latchbolt,
& Auxiliary Latch

624F49 Standard

624F53 D138 Option

681F34 LHB Std.

681F35 LHB x D138

For Deadbolt, Latchbolt,
& Toggle

402F31 Standard

402F35 D138 Option

For Latchbolt, Auxiliary
Latch, & Toggle

681F31 Standard

681F30 D138 Option

681F41 LHB Std.

681F40 LHB x D138










For Deadbolt, Latchbolt,
Auxiliary Latch, & Toggle

402F29 Standard

402F33 D138 Option

For Exit Devices Latchbolt,
& Auxiliary Latch


611F20 Standard



Strikes see pg 74

52 Mounting Packet

429F41 (Standard)
488F09 (MR Option)
465F57 (High Security, M04, Vandal Resistant)




53 Spring, Latch Lever

700F95-7




54 Spring, Stop

703F99-7




60 Latch Lever

424F35-8 Exit Device



483F43-8 Exit Device




61 Thumbturn Lever Spring

363F52-8 Exit Device




62 Thumbturn Lever

424F33-8 Exit Device




63 Bottom Thumbturn Lever

440F72-8 Exit Device




64 Top Thumbturn Lever

440F73-8 Exit Device




65 Thumbturn Latch Lever

363F34-8 Exit Device




345F52-8 Exit Device




66 Connecting Lever

345F53-8 Exit Device



67 Hub

379F51-8 Exit Device



68 Hold Washer

424F13-8 Exit Device




69 Spring

132F89-3 Exit Device



70 Auxiliary Lever

424F32-8 Exit Device



Trim Components	82
DESCRIPTION	
Lever x Wrought Escutcheon	82
Wrought Knob x Wrought Escutcheon	82
Lever x Cast Escutcheon	83
Vandal Resistant Lever Trim	83
Cast Knob x Cast Escutcheon	84
Lever x Rose	84
Wrought Knob x Rose	85
Cast Knob x Rose	85
Half Trim - Lever x Escutcheon	86
Half Trim - Wrought Knob x Escutcheon	86
Half Trim - Cast Knob x Escutcheon	86
Half Trim - Lever x Rose	87
Half Trim - Wrought Knob x Rose	87
Half Trim - Cast Knob x Rose	87
Inside Levers & Outside Lever & Spindle Assemblies	88
Inside Knobs & Outside Knob & Spindle Assemblies	91
Escutcheons	94
DESIGN	
M Escutcheon	94
N Escutcheon	95
P Escutcheon	96
R Escutcheon	97
T Escutcheon	98
L Escutcheon	99
V Escutcheon	100
Rose & Thimble Packets	101
Adapter Packets	102
Spindle Component Parts	105
Spindles	105
Screws & Screw Packets	106
Mortise Lock Conversion Kit	106
Miscellaneous Parts	108
Cylinders	108
Cylinder Collars	108
ML2000 Hand Reversing Instructions	111

Lever x Wrought Escutcheon




Illustration represents parts offering only;
not intended for use in installation.

Wrought Knob x Wrought Escutcheon




Illustration represents parts offering only;
not intended for use in installation.

Lever x Cast Escutcheon*




Illustration represents parts offering only;
not intended for use in installation.

*Throughbolt lugs are attached to cast escutcheons. No Adapter Packet supplied.


Vandal Resistant Lever Trim
Cast Lever x Cast Escutcheon*

Illustration represents parts offering only;
not intended for use in installation.

*Throughbolt lugs are attached to cast escutcheons. No Adapter Packet supplied.

Cast Knob x Cast Escutcheon*




Illustration represents parts offering only;
not intended for use in installation.

*Throughbolt lugs are attached to cast escutcheons. No Adapter Packet supplied.

Lever x Rose




Illustration represents parts offering only;
not intended for use in installation.

Wrought Knob x Rose




Illustration represents parts offering only;
not intended for use in installation.

Cast Knob x Rose




Illustration represents parts offering only;
not intended for use in installation.



Half Trim - Lever x Escutcheon




Illustration represents parts offering only;
not intended for use in installation.

Half Trim - Wrought Knob x Escutcheon




Illustration represents parts offering only;
not intended for use in installation.

Half Trim - Cast Knob x Escutcheon




Illustration represents parts offering only;
not intended for use in installation.

Half Trim - Lever x Rose




Illustration represents parts offering only;
not intended for use in installation.

Half Trim - Wrought Knob x Rose




Illustration represents parts offering only;
not intended for use in installation.

Half Trim - Cast Knob x Rose




Illustration represents parts offering only;
not intended for use in installation.





Inside



(Note: All inside levers come complete with dowel screws 483F30)

Outside


AS - Armstrong (Cast)





CS - Citation (Cast)





DS - Dirke (Cast) Specify Hand





ES - Essex (Cast)





LS - Lustra (Cast) LW - Lustra (Wrought)





NS - Newport (Cast)



PS - Princeton (Cast)



S - Regis (Cast) RW - Regis (Wrought)



Inside Levers & Outside Lever & Spindle Assemblies



ML2000 Parts Manual

Item	Part No.	Description
1		AS - Armstrong (Cast)
A	670F37	Inside Lever
B	670F64	Outside Lever & Spindle Assembly for 1-3/8" Door
	670F73	for 1-3/4" Door
	671F09	for 2-1/4" Door
2		CS - Citation (Cast)
A	670F30	Inside Lever
B	670F57	Outside Lever & Spindle Assembly for 1-3/8" Door
	670F66	for 1-3/4" Door
	670F02	for 2-1/4" Door
3		DS - Dirke (Cast)
A	670F32	Inside Lever for LH/LHR
	670F31	RH/RHR
B	670F59	Outside Lever & Spindle Assembly for 1-3/8" Door - RH/RHR
	670F58	for 1-3/8" Door - LH/LHR
	670F68	for 1-3/4" Door - RH/RHR
	670F67	for 1-3/4" Door - LH/LHR
	671F04	for 2-1/4" Door - RH/RHR
	671F03	for 2-1/4" Door - LH/LHR
4		ES - Essex (Cast)
A	670F33	Inside Lever
B	670F60	Outside Lever & Spindle Assembly for 1-3/8" Door
	670F69	for 1-3/4" Door
	671F05	for 2-1/4" Door

Item	Part No.	Description
5		LS - Lustra (Cast)
A	670F34	Inside Lever
	493F31	LS - Lustra (Wrought) Inside Lever
B	670F61	LS - Lustra (Cast) Outside Lever & Spindle Assembly for 1-3/8" Door
	670F70	for 1-3/4" Door
	671F06	for 2-1/4" Door
	483F79	LW - Lustra (Wrought) Outside Lever & Spindle Assembly for 1-3/8" Door
	483F80	for 1-3/4" Door
	483F81	for 2-1/4" Door
6		NS - Newport (Cast)
A	670F36	Inside Lever
B	670F63	Outside Lever & Spindle Assembly for 1-3/8" Door
	670F72	for 1-3/4" Door
	671F08	for 2-1/4" Door
7		PS - Princeton (Cast)
A	670F38	Inside Lever
B	670F65	Outside Lever & Spindle Assembly for 1-3/8" Door
	670F74	for 1-3/4" Door
	671F10	for 2-1/4" Door
8		RS - Regis (Cast)
A	670F35	Inside Lever
	493F34	RW - Regis (Wrought) Inside Lever
B	670F62	RS - Regis (Cast) Outside Lever & Spindle Assembly for 1-3/8" Door
	670F71	for 1-3/4" Door
	671F07	for 2-1/4" Door
	483F82	RW - Regis (Wrought) Outside Lever & Spindle Assembly for 1-3/8" Door
	83F83	for 1-3/4" Door
	483F84	for 2-1/4" Door





Inside



(Note: All inside levers come complete with dowel screws 483F30)

Outside



F - Frascati (Cast)




M - Merlot (Cast)




T - Tuscany (Cast)




Z - Zinfandel (Cast)



NS - Newport (Cast stainless steel) (Vandal Resistant)



CS - Citation (Cast stainless steel) (Vandal Resistant)





(Specify Finish)



Item	Part No.	Description
1		FS - Frascati (Cast)
A	692F63	Inside Lever for
	692F64	LH/LHR Door
		RH/RHR Door
B		Outside Lever & Spindle Assembly
	692F75	for 1-3/4" Door - RH/RHR Door
	692F76	for 1-3/4" Door - LH/LHR Door
2		MS - Merlot (Cast)
A	692F65	Inside Lever
B		Outside Lever & Spindle Assembly
	692F93	for 1-3/4" Door
3		TS - Tuscany (Cast)
A	692F68	Inside Lever
B		Outside Lever & Spindle Assembly
	692F96	for 1-3/4" Door
4		ZS - Zinfandel (Cast)
A		Inside Lever for
	692F66	LH/LHR Door
	692F67	RH/RHR Door
B		Outside Lever & Spindle Assembly
	692F94	for 1-3/4" Door - RH/RHR Door
	92F95	for 1-3/4" Door - LH/LHR Door
5		NS - Newport Vandal Resistant (Cast Stainless Steel)
	700F55	Inside & Outside Lever for 1 3/4 - 2 1/4" Door
6		CS - Citation Vandal Resistant (Cast Stainless Steel)
	700F59	Inside & Outside Lever for 1 3/4 - 2 1/4" Door





Inside

Outside



BR - Belmont (Wrought)
BW - Belmont (Wrought)





GR - Global (Wrought)
GW - Global (Wrought)





GS - Global (Cast)



SS - Surety (Cast)



YW - Yankee (Cold Forged)






(Specify Finish)		
Item	Part No.	Description
1		BR - Belmont (Wrought Reinforced)
A	502F29	Inside Lever
		BW - Belmont (Wrought)
	568F12	Inside Knob
B		BR - Belmont (Wrought Reinforced)
		Outside Knob & Spindle Assembly
	689F59	for 1-3/8" Door
	689F61	for 1-3/4" Door
	689F63	for 2-1/4" Door
		BW - Belmont (Wrought)
		Outside Knob & Spindle Assembly
	689F59	for 1-3/8" Door
	689F61	for 1-3/4" Door
	689F63	for 2-1/4" Door
2		GR - Global (Wrought Reinforced)
A	502F27	Inside Knob
B		GW - Global (Wrought)
	568F11	Inside Knob
B		GR - Global (Wrought Reinforced)
		Outside Knob & Spindle Assembly
	689F50	for 1-3/8" Door
	689F52	for 1-3/4" Door
	689F54	for 2-1/4" Door
		GW - Global (Wrought)
		Outside Knob & Spindle Assembly
	689F58	for 1-3/8" Door
	689F60	for 1-3/4" Door
	689F62	for 2-1/4" Door


(Specify Finish)		
Item	Part No.	Description
3		GS - Global (Cast)
A	503F15	Inside Lever
B		Outside Knob & Spindle Assembly
	689F28	for 1-3/8" Door
	689F31	for 1-3/4" Door
	689F37	for 2-1/4" Door
4		SS - Surety (Cast)
A	445F38	Inside Knob
B		Outside Knob & Spindle Assembly
	445F43	for 1-3/8" Door
	498F86	for 1-3/4" Door
	498F87	for 2-1/4" Door
5		YW - Yankee (Cast Forged)
A	502F62	Inside Knob
B		Outside Knob & Spindle Assembly
	689F30	for 1-3/8" Door
	689F33	for 1-3/4" Door
	689F39	for 2-1/4" Door



1
Inside
Blank




2
Inside For Cylin-
der Only




3
Inside For Grip
Only



4
Inside For
Cylinder & Grip



5
Inside For
Thumbturn Lever
Only



6
Inside For
Thumbturn Lever
& Grip



7
Outside
Blank



8
Outside
For Cylinder Only




9
Outside
For Grip Only



10
Outside
For Cylinder
& Grip



11
Outside
For Grip &
Emergency Key



12
Outside For Cyl-
inder, Grip
& Indicator

7-1/2" x 2-1/4" Wrought (Specify Finish)


Item	Part No.	Description
1	545F45	Inside - Blank
2	545F00	Inside - for Cylinder Only
3	544F95	Inside - for Grip Only
4		Inside - for Cylinder and Grip
	544F96	Conventional
	377F80	Master Ring
5		Inside - for Thumbturn Lever Only
	545F42	for 1-3/8" Door
	545F43	for 1-3/4" Door
	545F44	for 2-1/4" Door
6		Inside - for Thumbturn Lever & Grip
	544F97	for 1-3/8" Door
	544F98	for 1-3/4" Door
	544F99	for 2-1/4" Door

7-1/2" x 2-1/4" Wrought (Specify Finish)

Item	Part No.	Description
7	383F82	Outside - Blank
8	488F07	Outside - for Cylinders Only
9	488F04	Outside - for Grip Only
10		Outside - for Cylinder and Grip
	488F05	Conventional
	557F29	Master Ring
11	544F94	Outside - for Grip & Emergency Key
12		Outside - for Cylinder, Grip & Indicator
	433F48	for 1-3/8" Door
	433F49	for 1-3/4" Door
	484F90	for 2-1/4" Door



1
Inside
Blank




2
Inside or
Outside For Cylinder Only




3
Inside or
Outside
For Grip Only




4
Inside or
Outside For Cylinder & Grip




5
Inside For
Thumbturn
Lever Only



6
Inside For
Thumbturn
Lever & Grip



7
Outside
For Grip &
Emergency Key



8
Outside For Cylin-
der, Grip
& Indicator

7-1/2" x 2-1/4" Wrought (Specify Finish)

Item	Part No.	Description
1	544F93	Inside or Outside - Blank
2	544F80	Inside or Outside - for Cylinder Only
3	544F76	Inside or Outside - for Grip Only
4	544F77	Inside or Outside - for Cylinder and Grip
5		Inside - for Thumbturn Lever Only
	544F92	for 1-3/8" Door
	544F89	for 1-3/4" Door
	544F91	for 2-1/4" Door

7-1/2" x 2-1/4" Wrought (Specify Finish)

Item	Part No.	Description
6		Inside - for Thumbturn Lever & Grip
	544F88	for 1-3/8" Door
	544F85	for 1-3/4" Door
	544F87	for 2-1/4" Door
7	544F79	Outside - for Trim & Emergency Key
8		Outside - for Cylinder, Grip & Indicator
	544F82	for 1-3/8" Door
	544F83	for 1-3/4" Door
	544F84	for 2-1/4" Door



1
Inside
Blank




2
Inside
For Cylinder Only




3
Inside
For Grip Only



4
Inside
For Cylinder
& Grip



5
Inside For
Thumbturn Lever
Only



6
Inside For
Thumbturn Lever
& Grip



7
Outside
Blank



8
Outside
For Cylinder Only




9
Outside
For Grip Only



10
Outside
For Cylinder
& Grip



11
Outside
For Grip &
Emergency Key




12
Outside
For Cylinder, Grip &
Indicator

7" x 1-5/8" Wrought (Specify Finish)

Item	Part No.	Description
1	544F46	Inside - Blank
2	544F43	Inside - for Cylinder Only
3	544F39	Inside - for Grip Only
4	544F40	Inside - for Cylinder and Grip
5	544F14	Inside - for Thumbturn Lever Only
	544F14	for 1-3/8" Door
	544F45	for 1-3/4" Door
	544F44	for 2-1/4" Door
6	544F13	Inside - for Thumbturn Lever & Grip
	544F13	for 1-3/8" Door
	544F42	for 1-3/4" Door
	544F41	for 2-1/4" Door

7" x 1-5/8" Wrought (Specify Finish)

Item	Part No.	Description
7	384F11	Outside - Blank
8	488F03	Outside - for Cylinder Only
9	488F00	Outside - for Grip Only
10	488F01	Outside - for Cylinder & Grip
11	544F38	Outside - for Grip & Emergency Key
12	430F47	Outside - for Cylinder, Grip & Indicator
	430F47	for 1-3/8" Door
	435F00	for 1-3/4" Door
	484F76	for 2-1/4" Door




8-1/2" x 1-3/4" Cast (Specify Finish)

Item	Part No.	Description
1	545F79	Inside - Blank
2	545F88	Inside - for Cylinder Only
3	545F87	Inside - for Grip Only
4	545F80	Inside - for Cylinder and Grip
5	545F84 545F85 545F86	Inside - for Thumbturn Lever Only for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door
6	545F81 545F82 545F83	Inside - for Thumbturn Lever & Grip for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door
7	427F44 427F45 485F77	Outside - for Cylinder Only for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door

8-1/2" x 1-3/4" Cast (Specify Finish)

Item	Part No.	Description
8	427F42 427F43 485F76	Outside - For Grip Only for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door
9	427F38 427F39 485F75	Outside - For Cylinder and Grip for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door
10	427F46 427F47 485F78	Outside - for Grip & Emergency Key for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door
11	427F36 427F37 485F74	Outside - for Cylinder, Grip & Indicator for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door




8-1/2" x 1-3/4" Cast (Specify Finish)


Item	Part No.	Description
1	498F80	Inside - Blank
2	445F57	Inside - for Cylinder Only
3	445F33	Inside - for Cylinder and Grip
4	445F35	Inside - for Thumbturn Lever Only
5	445F34	Inside - for Thumbturn Lever & Grip

8-1/2" x 1-3/4" Cast (Specify Finish)

Item	Part No.	Description
6	445F37	Outside - for Cylinder Only
77	445F58	Outside - for Grip Only
8	445F36	Outside - for Cylinder & Grip
9	445F59	Outside - for Grip & Emergency Key



1
Inside
Blank




2
Inside For
Cylinder
Only




3
Inside For
Grip Only




4
Inside For
Cylinder &
Grip



5
Inside For
Thumbturn
Lever Only



6
Inside For
Thumbturn
Lever & Grip



7
For Cylinder
Only




8
Outside For
Grip Only




9
Outside For
Cylinder &
Grip



10
Outside For Grip
& Emergency
Key




11
Outside For
Cylinder, Grip
& Indicator



12
Outside
For Grip
& Plug Only



13
Outside For
Grip, Plug &
Indicator Only



14
Outside For
Plug Only

8-1/2" x 1-3/4" Cast (Specify Finish)

Item	Part No.	Description
1	692F86	Inside - Blank
2	694F32	Inside - for Cylinder Only
3	694F31	Inside - for Grip Only
4	694F33	Inside - for Cylinder and Grip
5		Inside - for Thumbturn Lever Only
	694F34	for 1-3/8" Door
	694F35	for 1-3/4" Door
	694F36	for 2" Door
	694F37	for 2-1/4" Door
6		Inside - for Thumbturn Lever & Grip
	694F38	for 1-3/8" Door
	694F39	for 1-3/4" Door
	694F40	for 2" Door
	694F41	for 2-1/4" Door
7		Outside - for Cylinder Only
	694F51	for 1-3/8" Door
	694F52	for 1-3/4" Door
	694F53	for 2" Door
	694F54	for 2-1/4" Door

8-1/2" x 1-3/4" Cast (Specify Finish)


Item	Part No.	Description
8		Outside - for Grip Only
	694F43	for 1-3/8" Door
	694F44	for 1-3/4" Door
	694F45	for 2" Door
	694F46	for 2-1/4" Door
9		Outside - for Cylinder & Grip
	694F55	for 1-3/8" Door
	694F56	for 1-3/4" Door
	694F57	for 2" Door
	694F58	for 2-1/4" Door
10		Outside - for Grip & Emergency Key
	694F47	for 1-3/8" Door
	694F48	for 1-3/4" Door
	694F49	for 2" Door
	694F50	for 2-1/4" Door

8-1/2" x 1-3/4" Cast (Specify Finish)


Item	Part No.	Description
11	694F59	Outside - for Cylinder, Grip & Indicator for 1-3/8" Door
	694F60	for 1-3/4" Door
	694F61	for 2" Door
	694F62	for 2-1/4" Door
12	694F67	Outside - for Grip & Plug Only for 1-3/8" Door
	694F68	for 1-3/4" Door
	694F69	for 2" Door
	694F70	for 2-1/4" Door
13	694F71	Outside - for Grip, Plug & Indicator Only for 1-3/8" Door
	694F72	for 1-3/4" Door
	694F73	for 2" Door
	694F74	for 2-1/4" Door
14	694F63	Outside - for Plug Only for 1-3/8" Door
	694F64	for 1-3/4" Door
	694F65	for 2" Door
	694F66	for 2-1/4" Door




1
Inside
Blank




2
Inside For
Cylinder Only




3
Inside For Grip
Only




4
Inside For
Cylinder &
Grip



5
Inside For
Thumbturn
Lever Only




6
Inside For
Thumbturn
Lever & Grip



7
Inside For
Cylinder, Grip &
Indicator




8
Outside
Blank




9
Outside For
Cylinder Only




10
Outside For
Grip Only



11
Outside For
Cylinder & Grip



12
Outside For
Grip &
Emergency Key



13
Outside
For Cylinder, Grip
& Indicator


8-1/2" x 2-5/8" Cast

Item	Part No.	Description
1	700F40	Inside - Blank
2	700F43 700F48*	Inside - for Cylinder Only (not shown) (7P & C6)
3	700F41	Inside - for Grip Only
4	700F42 700F47*	Inside - for Cylinder and Grip (not shown) (7P & C6)
5	700F45	Inside - for Thumbturn Lever Only
6	700F44	Inside - for Thumbturn Lever & Grip
7	700F46	Inside - for Cylinder, Grip & Indicator
8	700F80	Outside Blank

8-1/2" x 2-5/8" Cast

Item	Part No.	Description
9	700F83 700F88*	Outside - for Cylinder Only (not shown) (7P & C6)
10	700F81	Outside - for Grip Only
11	700F82 700F87*	Outside - for Cylinder and Grip (not shown) (7P & C6)
12	700F84	Outside - for Grip & Emergency Key
13	700F86	Outside - for Cylinder, Grip & Indicator

* Use these escutcheons when collar is required.




8-1/2" x 1-3/4" Cast (Specify Finish)

Item	Part No.	Description
1	445F82	Wrought Rose Packet, containing: (Qty. 2) 2-7/8" Dia. Roses
2	445F83	Wrought Rose Packet, containing: (Qty. 2) 3-1/2" Dia. Roses
3	487F08	Wrought Rose Packet, containing: (Qty. 2) 2-1/4" Dia. Roses
4	445F84	Wrought Rose Packet, containing: (Qty. 2) 3" Dia. Roses
5	447F25	Cast Rose Packet, containing: (Qty. 2) 2-1/4" Dia. Roses
6	447F24	Cast Rose Packet, containing: (Qty. 2) 2-7/8" Dia. Roses

8-1/2" x 1-3/4" Cast (Specify Finish)


Item	Part No.	Description
7	445F85	Thimble Packet, containing: (Qty. 2) Thimbles for Sectional Wrought Knob Trim Designs
8	432F86	Thimble Packet, containing: (Qty. 2) Thimbles for Wrought Knob by Escutcheon Trim Designs
9	445F86 (No Finish)	Rose Reinforcement Packet, containing: (Qty. 2) Rose Reinforcements
10	694F80	Cast Rose Packet, containing: (Qty. 2) 2-9/16" Dia. Vineyard Collection Roses




NOTE: Each adapter packet comes with appropriate size adapter plates & screws for door thickness as ordered.

Item	Part No.	Description
1		Adapter Packet - Full Working Trim, containing: 1 - Inside Adapter Plate 1 - Outside Adapter Plate 2 - #8-32 Phillips Flat Hd Scre 1 - Knob Release Tool
	466F50	for 1-3/8" Door
	466F51	for 1-3/4" Door
	466F52	for 2-1/4" Door
2	488F32	Adapter Packet - Lever Half Dummy Trim, containing: 1 - Adapter Plate 1 - Spindle 4 - #8 Phillips Flat Head Combination Screws
3		Adapter Packet - Grip Outside x Blank Escutcheon Inside, containing: 1 - Inside Adapter Plate 1 - Outside Adapter Plate 2 - #8-32 Phillips Flat Hd Undercut Machine Screws 1 - Knob Release Tool
	466F45	for 1-3/8" Door
	466F46	for 1-3/4" Door
	466F47	for 2-1/4" Door


Item	Part No.	Description
4		Adapter Packet - Half Working Trim, containing: 1 - Adapter Plate 2 - #8-32 Phillips Flat Hd Machine Screws 1 - Knob Release Tool
	428F32	for 1-3/8" Door
	428F33	for 1-3/4" Door
	428F34	for 2-1/4" Door
5	438F37	Adapter Packet - Cast Knob Half Dummy Trim, containing: 1 - Adapter Plate 4 - #8 Phillips Flat Hd Combination Screws 1 - Adjusting Nut 1 - Spindle Sub Assembly 1 - Sleeve 1 - Spacer




1
Full Working Trim Sectional
(Also for M & N Escutcheons with
Wrought Knobs)




2
Half Dummy Trim
Sectional
Levers




3
Half Working Trim
Sectional
Levers



4
Half Dummy Trim*
Sectional & M & N Escutcheons
Wrought Knobs



5
Half Dummy Trim
Sectional
Cast Knobs




6
Full Dummy Trim
Sectional
Levers

NOTE: Each adapter packet comes with appropriate size adapter plates & screws for door thickness as ordered.

Item	Part No.	Description
1		Adapter Packet - Full Working Trim, containing: 1 - Inside Adapter Plate 1 - Outside Adapter Plate 2 - #8-32 Phillips Flat Hd Undercut Machine Screws 1 - Knob Release Tool
	466F40	for 1-3/8" Door
	466F41	for 1-3/4" Door
	466F42	for 2-1/4" Door
2	488F30	Adapter Packet - Lever Half Dummy Sectional Trim, containing: 1 - Adapter Plate 1 - Spindle 2 - #8 Phillips Flat Head Combination Screws 2 - #8 Hollow Countersunk Washers
3		Adapter Packet - Half Working Sectional Trim, containing: 1 - Adapter Plate 2 - #8-32 Phillips Flat Hd Undercut Machine Screws 1 - Knob Release Tool
	437F40	for 1-3/8" Door
	437F41	for 1-3/4" Door
	437F42	for 2-1/4" Door

Item	Part No.	Description
4	511F51	Adapter Packet - Wrought Knob, Half Dummy Trim, containing: 1 - Adapter Plate 2 - #8-32 Phillips Flat Hd Combination Screws 1 - Knob Release Tool 1 - Knob Catch Assembly 1 - Adj. Locknut Assembly 1 - Spindle Sub Assembly 1 - Knob Shank Adapter
5	438F38	Adapter Packet - Cast Knob Half Dummy Trim, containing: 1 - Adapter Plate 2 - #8 Phillips Flat Hd Combination Screws 1 - Adjusting Nut 1 - Spindle Sub Assembly 1 - Sleeve 1 - Spacer
6	437F16	Adapter Packet - Full Dummy Sectional Lever Trim, containing: 1 - Adapter Plate 1 - Sleeve 1 - Bushing

For Full Dummy Sectional Trim, order 2 each 511F51 adapter packets.




NOTE: Each adapter packet comes with appropriate size adapter plates & screws for door thickness as ordered.

Item	Part No.	Description
1		Adapter Packet - Full Working Trim, containing: 1 - Inside Adapter Plate 1 - Outside Adapter Plate 2 - #8-32 Phillips Flat Hd Undercut Machine Screws 1 - Knob Release Tool
	466F73	for 1-3/8" Door
	466F74	for 1-3/4" Door
	466F75	for 2-1/4" Door
2	440F17	Adapter Packet - Cast Knob x P Escutcheon Half Dummy Trim, containing: 1 - Adapter Plate 2 - #8-32 Phillips Flat Hd Undercut Machine Screws 1 - Adjusting Nut 1 - Spindle Sub Assembly 1 - Sleeve 1 - Spacer

Item	Part No.	Description
3	511F52	Adapter Packet - Wrought Knob, Half Dummy Trim, containing: 1 - Adapter Plate 2 - #8-32 Phillips Flat Hd Combination Screws 1 - Knob Release Tool 1 - Knob Catch 1 - Locknut Assembly 1 - Spindle Sub Assembly 1 - Knob Adapter


Adapter Packets - All Escutcheons - Half Working Trim



Item	Part No.	Description
1	427F06	Adapter Packet - Knob Half Working Trim, containing: 1 - Inside Adapter Plate

Item	Part No.	Description
2	488F27	Adapter Packet - Lever Half Working Trim, containing: 1 - Inside Adapter Plate

NOTE: Retainer 427F07-8 required for installation.




Item	Part No.	Description
1	483F34-8	Adjusting Bolt for Lever half Trim for: 1-3/8" Door
	483F35-8	1-3/4" Door
	483F36-8	2-1/4" Door
2	483F31-8	Inside Spindle for Lever Half Trim for: 1-3/8" Door
	680F35-8	1-3/4" Door
	483F33-8	2-1/4" Door
3	483F11-8	Knob Shank Adapter*

* Spring Clip not part of Knob Shank Adapter.
Order item #9.


Item	Part No.	Description
4	482F37-8	Adjustable Locknut Assembly
5	118F48-8	Adjusting Nut for Cast Knob
6	497F52-8	Spacer for Cast Knob
7	Specify Finish 206F53-8	Sleeve for Cast Knob
8	228F54-8	Roll Pin for Knob or Lever Spindle
9	377F30-8	Catch Assembly, Knob

Spindles




Item	Part No.	Description
1	499F82-8	33L (Lever x Lever) Spindle for: 1-3/8" Door
	499F83-8	1-3/4" Door
	499F84-8	2-1/4" Door
2	499F86-8	33LK (Lever x Knob) Spindle for: 1-3/8" Door
	499F87-8	1-3/4" Door
	499F88-8	2-1/4" Door
3	499F90-8	33KL (Knob x Lever) Spindle for: 1-3/8" Door
	499F91-8	1-3/4" Door
	499F92-8	2-1/4" Door

Item	Part No.	Description
4	696F57-8	32 (Knob x Knob) Spindle for: 1-3/8" Door
	696F58-8	1-3/4" Door
	696F59-8	2-1/4" Door
5	303F18-8	Spindle for Knob Half Trim for: 1-3/8" Door
	303F19-8	1-3/4" Door
	303F20-8	2-1/4" Door
6	445F41-8	High Security Spindle for: 1-3/4" Door
	498F84-8	2" Door
	498F85-8	2-1/4" Door
7	700F38-8	Vandal Resistant Spindles



Item	Part No.	Description
1	488F08 488F10	Cylinder Set Screw Packet for Standard MR Option
2	433F76 433F77 433F78 439F33 439F34 439F35	Throughbolt Packet for M & P Escutcheons, containing: 2 - #8-32 Phillips Oval Hd Machine Screws for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door Throughbolt Packet for R & L Escutcheons, containing: 2 - #10-24 Phillips Oval Hd Machine Screws for 1-3/8" Door for 1-3/4" Door for 2-1/4" Door
3	483F30	Dowel Screw for Inside Lever
4	429F41	Mortise Lock Mounting Packet, (Std.) containing: 1 - Cylinder Set Screw 4 - #12 Phillips Flat Head Undercut Combination Screws 2 - #8 x 1/4" Phillips Flat Head Undercut Machine Screws
5	429F31	Screw Packet for N Surface Mounted Escutcheons, containing: 4 - #6 x 1/2" Phillips Oval Head Type A Tapping Screws


Item	Part No.	Description
6	700F65 700F66 700F67	Screw & Spindle Packet for VR Trim Containing: 4 - #10 - 24 x 2" FHUM Torx® Pin Screws 2 - Spindles for 1-3/4" Door for 2" Door for 2-1/4" Door
7	616F12 368F97 383F34 614F90 614F95 688F07 616F07 465F57 402F91 383F34 614F90 614F95 688F07 616F07 488F09 488F10 383F34 221F51	Mortise Lock Mounting Packet, MR x Torx® (M04) containing: 1 - Cylinder Set Screw 2 - #12 Phillips FHU Combination Screws 2 - #12 x 1" FHU Torx® Pin Combination Screw 2 - #8-32 x 1/4" Torxv Pin FHMU Screw 2 - #6 x Torx® Pin Flat Head Screw 1 - Torx® Pin Driver Bit Mortise Lock Mounting Packet, HS & VR, containing: 1 - Cylinder Set Screw 2 - #12 Phillips FHU Combination Screws 2 - #12 x 1" FHU Torx® Pin Combination Screw 2 - #8-32 x 1/4" Torx® Pin FHMU Screw 2 - #6 x Torx® Pin Flat Head Screw 1 - Torx® Pin Driver Bit Mortise Lock Mounting Packet, MR, containing: 1 - Cylinder Set Screw 2 - #12 Phillips FHU Combination Screws 2 - #8-32 x 1/4" Phillips Flat Head Undercut Machine Screws



This kit converts locks from knob x knob to lever x lever operation.

Item	Part No.	Description
1	683F34	Mortise Lock Conversion Kit, for Locks with Movable Stops, containing:
	684F09-M	1 - Hub, Cap Side
	684F10-M	1 - Hub, Case Side
	684F11-9	1 - Spacer, Hub
	404F85-M	2 - Spring, Lever Return
	684F12-9	1 - Spacer, Spring
	466F22-9	1 - Spacer
	565F04-M	1 - Spring, Hub Lever
	404F86-M	1 - Bracket, Hub Alignment
	684F18-M	1 - Screw, FHUM-PH-TITE #8-32x3/8"


Miscellaneous Parts



Item	Part No.	Description
	<i>Specify Finish</i>	Thumbturn Lever Packet, containing:
		1 - Thumbturn Lever
		2 - #6 x 1/2" Phillips Oval Head, Type A Screws
	519F09	for 1-3/8" Door
	519F10	for 1-3/4" Door
	519F11	for 2-1/4" Door
	519F12	for up to 3" Door
	581F96	for up to 4" Door
2	<i>Specify Finish</i>	Key Plate Packet, containing:
	438F90	1 - Key Plate
		2 - #6 x 1/2" Oval Truss Hd. Screws
3	300F68-8	Thimble/Rose Wrench
4	264F69-8	Hex Wrench
5	391F65-8	Knob Release Tool
6	605F42-8	Emergency Key for Privacy Function
7	118F29-9	Nylon Bushing for all Adapters & Cast Escutcheons
8		Sectional Trim Occupancy Indicator Packet, containing
		1 - Indicator Assembly
		1 - Indicator Collar
		1 - #6 x 1/2" Phillips Oval Head Tapping Screw
	429F08	for 1-3/8" Door
	416F84	for 1-3/4" Door
	484F74	for 2-1/4" Door
9	427F07-8	Retainer
10	700F37-8	Washer for VR Trim
11	700F16-8	Retaining Ring for VR Trim
12	700F36-7	Lever Spindle Spring for VR Trim

Conventional (standard for ML2000)
Security (standard for ML2000HS)
Pyramid (optional)
IC
2 nickel silver keys
Finishes: See Key Systems and Pyramid catalogs.


Pyramid
(Fixed Core)



Conventional
(Fixed Core)



Interchangeable Core
(I.C.)



Pyramid
Shown

Mortise Cylinder Type	Hotel Function	55, 69* & (Inside) Function	All Other Keyed Functions
HS VR Pyramid PHS	N/A	1020-114-A02	1020-114-A01
HS VR Pyramid PCHS	N/A	1030-114-A02	1030-114-A01
HS VR Conventional 6-pin	1001-114-A01	1000-118-A02	1000-118-A01
HS VR 7-pin	N/A	1000-114-A02-7	1000-114-A01-7
HS VR 6-pin IC	1081-138-A01	1080-114-A02	1080-114-A01
HS VR 7-pin IC	N/A	1080-112-A02-7	1080-112-A01-7
HS VR Security IC	1091-138-A01	1090-114-A02	1090-114-A01
HS VR Security	1011-114-A01	1010-118-A02	1010-118-A01
Flex Head	1101-118-A01	1100-100-A02	1100-100-A01
Flex head 7-pin	N/A	1100-118-A02-7	1100-118-A01-7
Master ring	N/A	1060-118-A02-7	1060-118-A65**
Master ring flex head	N/A	1160-100-A62	1060-100-A65**
HS VR Blockout	N/A	1012 114-A02	1012-114-A01
Plug only to show (concealed shell)	1201-114-A01	1200-118-A02	1200-118-A01
Plug only to show 7-pin (concealed shell)	N/A	1200-114-A02-7	1200-114-A01-7

For complete Pyramid information and options refer to Pyramid catalog.

To order cylinder separately, specify Part No. x Keyway x Finish (e.g. 1000-118-A01 x L4 x 626).

HS Indicates cylinder is available with ML2000HS lockset.

VR Indicates function is available with ML2000VR lockset.


*69 function is not offered with ML2000HS or ML2000VR.

**Deadbolt function require A61 cam.

For Standard Cylinder in ML2000 Series Locksets and Mortise Exit Devices with Sectional Trim

NOTES

1. There is no Corbin Russwin configuration which requires 1-3/8" cylinders in a double cylinder function. Collars for this combination are shaded and are referenced only for other manufacturer's cylinders.
2. The T & V-escutcheons is not available for 1-3/8" doors, so that configuration is not in this table.
3. Double cylinder functions use the same collar on both sides, unless otherwise specified.



Application			Cylinder				
Door	Function	Trim	1" 5-Pin	1-1/8" 6-Pin Standard	1-1/4" 6-Pin IC, 7-Pin, Hotel, Blockout	1-3/8" Hotel IC	1-1/2" 7-Pin IC
1-3/8" Door	Single Cylinder	Sectional	253F97	605F43	447F43	609F36	609F37
		N escutcheon	253F97	253F97	605F43	605F43	609F37
		P escutcheon	253F97	610F01	447F43	609F36	609F37
		M escutcheon	253F97	253F97	605F43	609F36	609F37
		R escutcheon	none	447F42	610F01	447F43	609F36
		L escutcheon	none	447F42	610F01	447F43	609F37
	Double Cylinder	Sectional	605F43	609F36	609F37	609F38	609F38
		N escutcheon	605F43	447F43	609F36	609F37	609F37
		P escutcheon	610F01	447F43	609F36	609F37	609F37
		M escutcheon	610F01	447F43	609F36	609F37	609F37
		R escutcheon	610F01	447F43	609F36	609F37	609F37
		L escutcheon	610F01	447F43	609F36	609F37	609F37

Application			Cylinder				
Door	Function	Trim	1" 5-Pin	1-1/8" 6-Pin Standard	1-1/4" 6-Pin IC, 7-Pin, Hotel, Blockout	1-3/8" Hotel IC	1-1/2" 7-Pin IC
1-3/4" Door	Single Cylinder	Sectional	253F97	253F97	605F43	605F43	609F36
		N escutcheon	253F97	253F97	253F97	605F43	605F43
		P escutcheon	use longer cyl.	253F97	253F98	610F01	447F43
		M escutcheon	use longer cyl.	253F97	253F97	605F43	447F43
		R escutcheon	none	none	447F41	447F42	610F02
		T escutcheon	none	none	none	447F41	447F42
		L escutcheon	none	none	447F41	447F42	610F02
		V escutcheon	none	none	none	700F53	700F53
	Double Cylinder	Sectional	253F97	610F01	447F43	609F37	609F37
		N escutcheon	253F97	253F97	605F43	447F43	609F36
		P escutcheon	447F41 x none	447F42	610F02	447F43	609F36
		M escutcheon	253F97 x none	253F97	605F43	447F43	609F36
		R escutcheon	197F34 x none	447F41	447F42	610F02	447F43
		T escutcheon	none	447F41	447F42	610F02	609F36
		L escutcheon	197F34 x none	447F42	610F01	447F43	609F36
		V escutcheon	none	none	700F53	700F53	705F92
2" Door	Single Cylinder	Sectional	253F97	253F97	253F97	605F43	605F43
		N escutcheon	use longer cyl.	253F97	253F97	253F97	605F43
		P escutcheon	none	use longer cyl.	253F97	447F42	610F01
		M escutcheon	none	use longer cyl.	253F97	253F97	605F43
		R escutcheon	none	none	none	447F41	447F42
		T escutcheon	use longer cyl.	use longer cyl.	none	none	447F41
		L escutcheon	none	none	none	447F41	447F42
		V escutcheon	not available	none	none	none	700F53
	Double Cylinder	Sectional	447F41	253F97	605F43	447F43	609F36
		N escutcheon	447F41	253F97	253F97	605F43	447F43
		P escutcheon	447F41 x none	447F41 x none	447F42	610F02	447F43
		M escutcheon	253F97 x none	253F97 x none	253F97	605F43	447F43
		R escutcheon	none	197F34 x none	447F42	610F02	447F43
		T escutcheon	use longer cyl.	none	447F41	447F42	610F02
		L escutcheon	none	197F34 x none	447F42	610F02	447F43
		V escutcheon	not available	not available	none	not available	700F53

Application			Cylinder				
Door	Function	Trim	1" 5-Pin	1-1/8" 6-Pin Standard	1-1/4" 6-Pin IC, 7-Pin, Hotel, Blockout	1-3/8" Hotel IC	1-1/2" 7-Pin IC
2-1/4" Door	Single Cylinder	Sectional	use longer cyl.	253F97	253F97	253F97	605F43
		N escutcheon	use longer cyl.	253F97	253F97	253F97	253F97
		P escutcheon	use longer cyl.	use longer cyl.	use longer cyl.	253F97	253F98
		M escutcheon	use longer cyl.	use longer cyl.	use longer cyl.	253F97	253F97
		R escutcheon	use longer cyl.	use longer cyl.	none	none	447F41
		T escutcheon	use longer cyl.	use longer cyl.	use longer cyl.	none	none
		L escutcheon	use longer cyl.	use longer cyl.	none	none	447F41
		V escutcheon	none	none	none	none	none
	Double Cylinder	Sectional	447F41	447F41	253F97	605F43	447F43
		N escutcheon	use longer cyl.	447F41	253F97	253F97	605F43
		P escutcheon	use longer cyl.	447F41 x none	447F41 x none	447F42	610F02
		M escutcheon	use longer cyl.	253F97 x none	253F97 x none	253F97	605F43
		R escutcheon	use longer cyl.	none	197F34 x none	447F42	610F02
		T escutcheon	use longer cyl.	none	none	447F41	447F42
		L escutcheon	use longer cyl.	none	197F34 x none	447F42	610F02
		V escutcheon	none	none	none	none	none

Master Ring Collars for Master Cylinders in ML2000 Series Locksets

Application			Cylinder		
Door	Function	Trim	1-1/8" Standard	1-1/4"	1-3/8" 7-Pin
1-3/8"	Single Cylinder	Sectional	447F46	447F46	not avail.
		N escutcheon	447F45*	447F46	447F46
		M escutcheon	447F45*	447F46	not avail.
	Double Cylinder	Sectional	not avail.		
		N escutcheon	447F46	use shorter cyl.	not avail.
		M escutcheon	447F46		
1-3/4"	Single Cylinder	Sectional	447F45*	447F45*	447F46
		N escutcheon	447F44*	447F44*	447F45*
		M escutcheon	447F44*	447F44*	447F45*
	Double Cylinder	Sectional	447F46	use shorter cyl.	not avail.
		N escutcheon	447F45*	447F46	447F46
		M escutcheon	447F45*	447F46	not avail.
2"	Single Cylinder	Sectional	447F44	447F45*	447F45*
		N escutcheon	447F44	447F44*	447F44*
		M escutcheon	none	447F44*	447F44*
	Double Cylinder	Sectional	447F45*	447F46	not avail.
		N escutcheon	447F44	447F45*	447F46
		M escutcheon	447F44 x none	447F45*	447F46
2-1/4"	Single Cylinder	Sectional	447F44	447F44	447F45*
		N escutcheon	use longer cyl.	447F44	447F44*
		M escutcheon	use longer cyl.	none	447F44*
	Double Cylinder	Sectional	447F44	447F45*	447F46
		N escutcheon	447F44	447F44	447F45*
		M escutcheon	447F44 x none	447F44 x none	447F45*

*ML2042 and ML2055 require 447F46

Conventional Cylinder


Application		Cylinder		
Door	Function	1" 6-Pin std.	1-1/8" 7-Pin Std.	1-1/4"
1-3/8"	Single Cylinder	370F29	252F82	Use Shorter Cylinder
1-3/4"	Single Cylinder	none	370F29	370F31
	Double Cylinder	370F31	252F82	Use Shorter Cylinder
2"	Single Cylinder	none	none	370F29
	Double Cylinder	none	370F31	252F82
2-1/4"	Single Cylinder	Use Longer Cylinder	none	none
	Double Cylinder	none	none	370F31

Master Ring

Application		Cylinder		
Door	Function	1" 6-Pin std.	1-1/8" 7-Pin Std.	1-1/4"
1-3/8"	Single Cylinder	370F35	370F35	Use Shorter Cylinder
1-3/4"	Single Cylinder	none	370F33	370F35
	Double Cylinder	370F35	370F35	Use Shorter Cylinder
2"	Single Cylinder	none	none	370F33
	Double Cylinder	370F33	370F35	370F35
2-1/4"	Single Cylinder	Use Longer Cylinder	none	none
	Double Cylinder	none	370F33	370F35

Please read completely before proceeding and review the drawing below.
NOTE: MINIMAL FORCE IS REQUIRED TO REVERSE THE HANDING.

1. Remove the armored front.
2. Remove the lockset from the door.
3. Fully depress the latchbolt and hold in the depressed position.
4. With minimal force, depress the catchplate, located at the end of the latchtail, through the oblong cutout in the lockcase cap. While depressing the catch plate, release the latchbolt and remove the latch from the lock.
5. Turn the latchbolt over and reinstall into the lock.
6. Depress the latchbolt until it re-engages the tail socket. If necessary, depress the catchplate to assist re-engagement. Pull latchbolt to ensure proper engagement.
7. Remove the red-headed screw from the stopworks and screw it into the stopworks on the opposite side of the case.
8. Loosen front screws to change the bevel. Tighten front screws.
9. Reinstall the lock and armored front into the door.
10. If changing bevel (door swing) only, i.e. RH to RHR or LHR to LH, do only steps 1 through 9, skipping step 7.



ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



In U.S.

Corbin Russwin
Architectural Hardware
225 Episcopal Road
Berlin, CT 06037
Phone: 800-543-3658
Fax: 800-447-6714
corbinrusswin.com

In Canada

ASSA ABLOY Door
Security Solutions Canada
160 Four Valley Drive
Vaughan, Ontario
Canada L4K 4T9
Phone: 800-461-3007
Fax: 905-738-2478
www.assaabloy.ca

For more information regarding Corbin Russwin Locksets, Exit Devices, Door Controls and Key Systems, contact your authorized Corbin Russwin Distributor or Sales Representative.

Corbin Russwin and Design® is a registered trademark of Corbin Russwin, Inc., an ASSA ABLOY Group company. Other products' brand names may be trademarks or registered trademarks of their respective owners and are mentioned for reference purposes only. These materials are protected under US copyright laws. All contents current at time of publication. Corbin Russwin, Inc., an ASSA ABLOY Group company reserves the right to change availability of any item in this catalog, its design, construction, and/or its materials. Copyright © 2000, 2014 Corbin Russwin, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Corbin Russwin, Inc. is prohibited.